

DOCUMENTACIÓN

Bibliografía de Revistas

AGUAS RESIDUALES

Nº. 108.—Microbial and operational response of an anaerobic fixed bed digester to oleic acid overloads. Cavaleiro, A.J., Alves, M.M. and Mota, M. *Process Biochem.* 2001, **37** (4) 387-394.

ANÁLISIS

Nº. 109.—A simple HPLC method for the simultaneous analysis of Phosphatidylcholine and its partial hydrolysis products 1-and 2-acyl lysophosphatidylcholine. Adlercreutz, D. and Wehtje, E. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 1007-1011.

Nº. 110.—Application of new methods and analytical approaches to research on polyunsaturated fatty acid homeostasis. Cunnane, S. C. *Lipids*, 2001, **36** (9) 975-979.

Nº. 111.—A modified method for the estimation of total carbonyl compounds in heated and frying oils using 2-propanol as a solvent. Endo, Y., Li, C.M., TagiriEndo, M. and Fujimoto, K. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 1021-1024.

Nº. 112.—Fourier transform infrared spectroscopy and chemometrics as a tool for therapid detection of other vegetable fats mixed in cocoa butter. Goodacre, R. and Anklam, E. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 993-1000.

Nº. 113.—A rapid spectrophotometric method for the determination of peroxide value in food lipids with high carotenoid content. HorneroMendez, D., PerezGalvez, A. and MinguezMosquera, M. I. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1151-1155.

Nº. 114.—Monitoring chemical changes in some foods using Fourier transform photoacoustic spectroscopy. Irudayaraj, J., Sivakesava, S., Kamath, S. and Yang, H. *J. Food Sci.* 2001, **66** (9) 1416-1421.

Nº. 115.—Detection of lipid-derived aldehydes and aldehyde : protein adducts in vitro and in beef. Lynch, M.P., Faustman, C., Silbart, L.K., Rood, D. and Furr, H.C. *J. Food Sci.* 2001, **66** (8) 1093-1099.

Nº. 116.—Models and methods for studying behavior in polyunsaturated fatty acid research. Mostofsky, D.I. *Lipids*, 2001, **36** (9) 913-917.

Nº. 117.—Impact of extraction solvents on steroid contents determined in beef. Schmidt, G. and Steinhart, H. *Food Chem.* 2002, **76** (1) 83-88.

Nº. 118.—Virgin olive oil: Free radical production studied with spin-trapping electron paramagnetic resonance spectroscopy. Skoutas, D., Haralabopoulos, D., Avramiotis, S., Sotiroidis, T. G. and Xenakis, A. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1121-1125.

Nº. 119.—Influence of triacylglycerol characteristics on the determination of free fatty acids in vegetable oils by Fourier transform infrared spectroscopy. Verleyen, T., Verhe, R., Cano, A., Huyghebaert, A. and DeGreyt, W. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 981-984.

Nº. 120.—Identification and quantification of cholesterol oxidation products in canned tuna. Zunin, P., Boggia, R. and Evangelisti, F. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 1037-1040.

BIOTRANSFORMACIONES

Nº. 121.—Biosynthesis and tissue deposition of docosahexaenoic acid (22 : 6n- 3) in rainbow trout (*Oncorhynchus mykiss*). Bell, M.V., Dick, J.R. and Porter, A.E.A. *Lipids*, 2001, **36** (10) 1153-1159.

Nº. 122.—Chemical profiles of hydrolyzed milk samples after treatment with commercial enzymes. Brindisi, J.A., Parker, J.D., Turner, L.G. and Larick, D.K. *J. Food Sci.* 2001, **66** (8) 1100-1107.

Nº. 123.—Isolation and functional analysis of homogentisate phytyltransferase from *Synechocystis* sp PCC 6803 and *arabidopsis*. Collakova, E. and DellaPenna, D. *Plant Physiol*, 2001, **127** (3) 1113-1124.

Nº. 124.—Food micro-organisms and aromatic ester synthesis. Cristiani, G. and Monnet, V. *Sci. Aliment.* 2001, **21** (3) 211-230.

Nº. 125.—Lipolytic activity of California-laurel (*Umbellularia californica*) seeds. Haas, M.J., Cichowicz, D.J. and Dierov, J.K. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 1067-1071.

Nº. 126.—12,13,16-Trihydroxy-9(Z)-octadecenoic acid, a possible intermediate in the bioconversion of linoleic acid to tetrahydrofuranly fatty acids by *Clavibacter* sp ALA2. Hou, C.T., Gardner, H.W. and Brown, W. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1167-1169.

Nº. 127.—Biogenesis of 1-octen-3-ol by lipoxygenase and hydroperoxide lyase activities of *Agaricus bisporus*. Husson, F., Bompas, D., Kermasha, S. and Belin, J.M. *Process Biochem.* 2001, **37** (2) 177-182.

Nº. 128.—Synthesis of geranyl acetate by lipase entrap-immobilized in cellulose acetate-TiO₂ gel fiber. Ikeda, Y. and Kurokawa, Y. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1099-1103.

Nº. 129.—Lipase catalyzed methanolysis of vegetable oils in aqueous medium by *Cryptococcus* spp. S-2. Kamini, N.R. and Iefuji, H. *Process Biochem.* 2001, **37** (4) 405-410.

Nº. 130.—Enhanced levels of the aroma and flavor compound S-linalool by metabolic engineering of the terpenoid pathway in tomato fruits. Lewinsohn, E., Schalechet, F., Wilkinson, J., Matsui, K., Tadmor, Y., Nam,

K. H., Amar, O., Lastochkin, E., Larkov, O., Ravid, U., Hiatt, W., Gepstein, S. and Pichersky, E. *Plant Physiol.* 2001, **127** (3) 1256-1265.

Nº. 131.—Isolation, structure determination, and phytotoxicity of unusual dioxopiperazines from the phytopathogenic fungus *Phoma lingam*. Pedras, M.S.C. and Biesenthal, C.J. *Phytochemistry*, 2001, **58** (6) 905-909.

Nº. 132.—A novel alkaline lipase from *Burkholderia cepacia* for detergent formulation. Rath, P., Saxena, R.K. and Gupta, R. *Process Biochem.* 2001, **37** (2) 187-192.

Nº. 133.—Solvent engineering applied to lipase-catalyzed glycerolysis of triolein. Rendon, X., LopezMunguia, A. and Castillo, E. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 1061-1066.

Nº. 134.—Effect of nitrogen and zinc fertilization and plant growth retardants on cottonseed, protein, oil yields, and oil properties. Sawan, Z.M., Hafez, S.A. and Basyony, A.E. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1087-1092.

Nº. 135.—Enhancement of bioconversion efficiency and chemistry of the mushroom, *Pleurotus sajor-caju* (Berk and Br.) Sacc. produced on spent rice straw substrate, supplemented with oil seed cakes. Shashirekha, M.N., Rajarathnam, S. and Bano, Z. *Food Chem.* 2002, **76** (1) 27-31.

Nº. 136.—Enzyme-assisted acidolysis of menhaden and seal blubber oils with gamma-linolenic acid. Spurvey, S.A., Senanayake, S.P.J.N. and Shahidi, F. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1105-1112.

COMPOSICIÓN

Nº. 137.—Simple phenolic content in olive oil residues as a function of extraction systems. LesageMeessen, L., Navarro, D., Maunier, S., Sigoillot, J.C., Lorquin, J., Delattre, M., Simon, J. L., Asther, M. and Labat, M. *Food Chem.* 2001, **75** (4) 501-507.

Nº. 138.—Fat content and fillet shape of Atlantic salmon: Relevance for processing yield and quality of raw and smoked products. Morkore, T., Vallet, J.L., Cardinal, M., GomezGuillen, M.C., Montero, R., Torrissen, O. J., Nortvedt, R., Sigurgisladottir, S. and Thomassen, M. *S. J. Food Sci.* 2001, **66** (9) 1348-1354.

Nº. 139.—Characteristics of hemp (*Cannabis sativa* L.) seed oil. Oomah, B.D., Busson, M., Godfrey, D.V. and Drover, J.C.G. *Food Chem.* 2002, **76** (1) 33-43.

Nº. 140.—Differences in tissue fatty acid composition between reared and wild sharpnose sea bream, *Diplodus puntazzo* (Cetti, 1777). Rueda, F.M., Hernandez, M. D., Egea, M.A., Aguado, F., Garcia, B. and Martinez, F.J. *Brit. J. Nutr.* 2001, **86** (5) 617-622.

Nº. 141.—Neutral and polar lipid phase transition of soybeans with various saturated fatty acid contents. Wang, T., Hammond, E. G. and Fehr, W.R. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1139-1144.

Nº. 142.—Trans- and cis-octadecenoic acid isomers in the hump and milk lipids from *Camelus dromedarius*. Wolff, R.L., Precht, D., Nasser, B. and ElKebbaj, M.S. *Lipids*, 2001, **36** (10) 1175-1178.

NUTRICIÓN

Nº. 143.—Heart 7-hydroperoxycholesterol and oxysterols are elevated in chronically ethanol-fed rats.

Adachi, J., Kudo, R., Ueno, Y., Hunter, R., Rajendram, R., Want, E. and Preedy, V.R. *J. Nutr.* 2001, **131** (11) 2916-2920.

Nº. 144.—A simple HPLC method for the simultaneous analysis of phosphatidylcholine and its partial hydrolysis products 1-and 2-acyl lysophosphatidylcholine. Adlercreutz, D. and Wehtje, E. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 1007-1011.

Nº. 145.—Concentration of selected vitamins in infant milks available in Spain. AlbalaHurtado, S., VecianaNogues, M. T., VidalCarou, M.C. and Font, A.M. *J. Food Sci.* 2001, **66** (8) 1191-1194.

Nº. 146.—Alterations in fatty acid composition of tissue phospholipids in the developing retinal dystrophic rat. Alessandri, J.M. and GoustardLangelier, B. *Lipids*, 2001, **36** (10) 1141-1152.

Nº. 147.—Effects of fat on temporal cooling by menthol in lozenges. Allison, A.M.A., Chambers, E., Civile, G.V., Milliken, G.A. and Chambers, D.H. *J. Food Sci.* 2001, **66** (8) 1219-1224.

Nº. 148.—Dietary long-chain polyunsaturated fatty acids from different sources affect fat and fatty acid excretions in rats. Amate, L., Gil, A. and Ramirez, M. *J. Nutr.* 2001, **131** (12) 3216-3221.

Nº. 149.—Walnut polyphenolics inhibit in vitro human plasma and LDL oxidation. Anderson, K.J., Teuber, S.S., Gobeille, A., Cremin, P., Waterhouse, A.L. and Steinberg, F.M. *J. Nutr.* 2001, **131** (11) 2837-2842.

Nº. 150.—Apple favourably affects parameters of cholesterol metabolism and of anti-oxidative protection in cholesterol-fed rats. Aprikian, O., LevratVerny, M.A., Besson, C., Busserolles, J., Remesy, C. and Demigne, C. *Food Chem.* 2001, **75** (4) 445-452.

Nº. 151.—Dietary curcuminoids prevent high-fat diet-induced lipid accumulation in rat liver and epididymal adipose tissue. Asai, A. and Miyazawa, T. *J. Nutr.* 2001, **131** (11) 2932-2935.

Nº. 152.—Biomarkers in disease and health. Brouha, F., Hanley, A.B., PoolZobel, B. and Verhagen, H. *Brit. J. Nutr.* 2001, **86** S55-S92.

Nº. 153.—Estimation of the main quality factors of bluefin tunas caught for the Japanese market. Caillmilly, N., Milly, D. and Etienne, M. *Sci. Aliment.* 2001, **21** (3) 255-270.

Nº. 154.—Polyunsaturated fatty acids, inflammation, and immunity. Calder, P.C. *Lipids*, 2001, **36** (9) 1007-1024.

Nº. 155.—The role of polyunsaturated fatty acid supplementation in intestinal inflammation and neonatal necrotizing enterocolitis. Caplan, M.S. and Jilling, T. *Lipids*, 2001, **36** (9) 1053-1057.

Nº. 156.—Effect of expectations induced by information on origin and its guarantee on the acceptability of a traditional food: olive oil. Caporale, G. and Monteleone, E. *Sci. Aliment.* 2001, **21** (3) 243-254.

Nº. 157.—Postprandial triglyceride-rich lipoprotein metabolism and insulin sensitivity in nonalcoholic steatohepatitis patients. Cassader, M., Gambino, R., Musso, G., Depetris, N., Mecca, F., CavalloPerin, P., Pacini, G., Rizzetto, M. and Pagano, G. *Lipids*, 2001, **36** (10) 1117-1124.

Nº. 158.—Polyunsaturated fatty acids and cerebral function: Focus on monoaminergic neurotransmission.

Chalon, S., Vancassel, S., Zimmer, L., Guilloteau, D. and Durand, G. *Lipids*, 2001, **36** (9) 937-944.

Nº. 159.—Oxidized frying oil up-regulates hepatic acyl-CoA oxidase and cytochrome P-450 4 A1 genes in rats and activates PPAR alpha. Chao, P.M., Chao, C. Y., Lin, F. J. and Huang, C.J. *J. Nutr.* 2001, **131** (12) 3166-3174.

Nº. 160.—Recent advances in infant cognition: Implications for long-chain polyunsaturated fatty acid supplementation studies. Colombo, J. *Lipids*, 2001, **36** (9) 919-926.

Nº. 161.—Isomeric fatty acids: Evaluating status and implications for maternal and child health. CraigSchmidt, M. C. *Lipids*, 2001, **36** (9) 997-1006.

Nº. 162.—Application of new methods and analytical approaches to research on polyunsaturated fatty acid homeostasis. Cunneane, S.C. *Lipids*, 2001, **36** (9) 975-979.

Nº. 163.—The intestinal mucosa as a target for dietary polyunsaturated fatty acids. DonnetHughes, A., Schiffrin, E. J. and Turini, M.E. *Lipids*, 2001, **36** (9) 1043-1052.

Nº. 164.—Cholesterol and lipid oxidation products in cooked meat as affected by raw-meat packaging and irradiation and by cooked-meat packaging and storage time. Du, M., Nam, K.C. and Ahn, D.U. *J. Food Sci.* 2001, **66** (9) 1396-1401.

Nº. 165.—Polyunsaturated n-3 fatty acids and the development of atopic disease. Duchon, K. and Bjorksten, B. *Lipids*, 2001, **36** (9) 1033-1042.

Nº. 166.—Effect of a low-glycaemic index-low-fat-high protein diet on the atherogenic metabolic risk profile of abdominally obese men. Dumesnil, J.G., Turgeon, J., Tremblay, A., Poirier, P., Gilbert, M., Gagnon, L., StPierre, S., Garneau, C., Lemieux, I., Pascot, A., Bergeron, J. and Despres, J.P. *Brit. J. Nutr.* 2001, **86** (5) 557-568.

Nº. 167.—Health benefits and processing of lipid based nutritionals. Dunford, N.T. *Food Technol.* 2001, **55** (11) 38.

Nº. 168.—Short-chain fatty acids inhibit invasive human colon cancer by modulating uPA, TIMP-1, TIMP-2, mutant p53, Bcl-2, Bax, p21 and PCNA protein expression in an in vitro cell culture model. Emenaker, N.J., Calaf, G.M., Cox, D., Basson, M.D. and Qureshi, N. *J. Nutr.* 2001, **131** (11) 3041S-3046S.

Nº. 169.—Stable isotope approaches, applications, and issues related to polyunsaturated fatty acid metabolism studies. Emken, E.A. *Lipids*, 2001, **36** (9) 965-973.

Nº. 170.—A modified method for the estimation of total carbonyl compounds in heated and frying oils using 2-propanol as a solvent. Endo, Y., Li, C.M., TagiriEndo, M. and Fujimoto, K. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 1021-1024.

Nº. 171.—Polyunsaturated fatty acids and T-cell function: Implications for the neonate. Field, C.J., Clandinin, M.T. and VanAerde, J.E. *Lipids*, 2001, **36** (9) 1025-1032.

Nº. 172.—The comprehensive approach to diet: A critical review. Gerber, M. *J. Nutr.* 2001, **131** (11) 3051S-3055S.

Nº. 173.—Randomized trials with polyunsaturated fatty acid interventions in preterm and term infants:

Functional and clinical outcomes. Gibson, R.A., Chen, W.X. and Makrides, M. *Lipids*, 2001, **36** (9) 873-883.

Nº. 174.—Insulin, insulin-like growth factors and colon cancer: A review of the evidence. Giovannucci, E. *J. Nutr.* 2001, **131** (11) 3109S-3120S.

Nº. 175.—Fourier transform infrared spectroscopy and chemometrics as a tool for the rapid detection of other vegetable fats mixed in cocoa butter. Goodacre, R. and Anklam, E. *J. Am. Oil Chem. Soc.* 2001, **78** (10) 993-1000.

Nº. 176.—Transforming growth factor beta in human milk does not change in response to modest intakes of docosahexaenoic acid. Hawkes, J.S., Bryan, D.L., Neumann, M.A., Makrides, M. and Gibson, R.A. *Lipids*, 2001, **36** (10) 1179-1181.

Nº. 177.—Exocrine pancreatic secretion is stimulated in piglets fed fish oil compared with those fed coconut oil or lard. Hedemann, M.S., Pedersen, A.R. and Engberg, R.M. *J. Nutr.* 2001, **131** (12) 3222-3226.

Nº. 178.—Certain immune markers are not good indicators of mild to moderate biotin deficiency in rats. Helm, R.M., Mock, N.I., Simpson, P. and Mock, D.M. *J. Nutr.* 2001, **131** (12) 3231-3236.

Nº. 179.—A rapid spectrophotometric method for the determination of peroxide value in food lipids with high carotenoid content. HorneroMendez, D., PerezGalvez, A. and MinguezMosquera, M.I. *J. Am. Oil Chem. Soc.* 2001, **78** (11) 1151-1155.

Nº. 180.—Dietary sesame seeds elevate alpha- and gamma-tocotrienol concentrations in skin and adipose tissue of rats fed the tocotrienol- rich fraction extracted from palm oil. Ikeda, S., Toyoshima, K. and Yamashita, K. *J. Nutr.* 2001, **131** (11) 2892-2897.

Nº. 181.—Monitoring chemical changes in some foods using Fourier transform photoacoustic spectroscopy. Irudayaraj, J., Sivakesava, S., Kamath, S. and Yang, H. *J. Food Sci.*, 2001, **66** (9) 1416-1421.

Nº. 182.—The role of docosahexaenoic acid in retinal function. Jeffrey, B.G., Weisinger, H.S., Neuringer, M. and Mitchell, D.C. *Lipids*, 2001, **36** (9) 859-871.

Nº. 183.—Carotenoids affect proliferation of human prostate cancer cells. KotakeNara, E., Kushi, M., Zhang, H., Sugawara, T., Miyashita, K. and Nagao, A. *J. Nutr.* 2001, **131** (12) 3303-3306.

Nº. 184.—Polyunsaturated fatty acids and infant growth. Lapillonne, A. and Carlson, S.E. *Lipids*, 2001, **36** (9) 901-911.

Nº. 185.—Detection of lipid-derived aldehydes and aldehyde : protein adducts in vitro and in beef. Lynch, M.P., Faustman, C., Silbart, L.K., Rood, D. and Furr, H.C. *J. Food Sci.* 2001, **66** (8) 1093-1099.

Nº. 186.—Abalone, *Haliotis discus hannai* Ino, can synthesize myo-inositol de novo to meet physiological needs. Mai, K., Wu, G.T. and Zhu, W. *J. Nutr.* 2001, **131** (11) 2898-2903.

Nº. 187.—Perinatal characteristics may influence the outcome of visual acuity. Makrides, M., Neumann, M.A. and Gibson, R.A. *Lipids*, 2001, **36** (9) 897-900.

Nº. 188.—Detection of lard and randomized lard as adulterants in refined- bleached-deodorized palm oil by differential scanning calorimetry. Marikkar, J.M.N., Lai, O. M., Ghazali, H.M. and Man, Y.B.C. *J. Am. Oil Chem.Soc.* 2001, **78** (11) 1113-1119.

Nº. 189.—Modulation of arachidonic acid distribution by conjugated linoleic acid isomers and linoleic acid in MCF-7 and SW480 cancer cells. Miller, A., Stanton, C. and Devery, R. *Lipids*, 2001, **36** (10) 1161-1168.

Nº. 190.—Models and methods for studying behavior in polyunsaturated fatty acid research. Mostofsky, D.I. *Lipids*, 2001, **36** (9) 913-917.

Nº. 191.—Metabolism and functions of highly unsaturated fatty acids: Anupdate. Nakamura, M.T., Cho, H.P., Xu, J., Tang, Z.R. and Clarke, S.D. *Lipids*, 2001, **36** (9) 961-964.

Nº. 192.—Changes in fatty acid concentrations in tissues of African catfish, *Clarias gariepinus* Burchell, as a consequence of dietary carnitine, fat and lysine supplementation. Ozorio, R.O.A., Uktoseja, J.L.A., Huisman, E.A. and Verreth, J.A.J. *Brit. J. Nutr.* 2001, **86** (5) 623-636.

No. 193.—Cholesterol-lowering effect of extruded amaranth (*Amaranthus caudatus* L.) in hypercholesterolemic rabbits. Plate, A.Y.A. and Areas, J.A.G. *Food Chem.* 2002, **76** (1) 1-6.

Nº. 194.—Effects of docosahexaenoic acid on retinal development: Cellular and molecular aspects. Politi, L., Rotstein, N. and Carri, N. *Lipids*, 2001, **36** (9) 927-935.

Nº. 195.—Antioxidative activity of 3,4-dihydroxyphenylacetic acid and caffeic acid in rat plasma. Raneva, V., Shimasaki, H., Ishida, Y., Ueta, N. and Niki, E. *Lipids*, 2001, **36** (10) 1111-1116.

Nº. 196.—Obesity may impair lactogenesis II. Rasmussen, K.M., Hilson, J.A. and Kjolhede, C.L. *J. Nutr.* 2001, **131** (11) 3009S-3011S.

Nº. 197.—Oolong tea increases metabolic rate and fat oxidation in men. Rumpler, W., Seale, J., Clevidence, B., Judd, J., Wiley, E., Yamamoto, S., Komatsu, T., Sawaki, T., Ishikura, Y. and Hosoda, K. *J. Nutr.* 2001, **131** (11) 2848-2852.

Nº. 198.—Mechanisms of action of docosahexaenoic acid in the nervous system. Salem, N., Litman, B., Kim, H.Y. and Gawrisch, K. *Lipids*, 2001, **36** (9) 945-959.

Nº. 199.—Polyunsaturated fatty acid supply with human milk. Sauerwald, T. U., Demmelmair, H. and Koletzko, B. *Lipids*, 2001, **36** (9) 991-996.

Nº. 200.—Impact of extraction solvents on steroid contents determined in beef. Schmidt, G. and Steinhart, H. *Food Chem.* 2002, **76** (1) 83-88.

Nº. 201.—Severity of human immunodeficiency virus infection is associated with decreased phase angle, fat mass and body cell mass in adults with pulmonary tuberculosis infection in Uganda. Shah, S., Whalen, C., Kotler, D.P., Mayanja, H., Namale, A., Melikian, G., Mugerwa, R. and Semba, R.D. *J. Nutr.* 2001, **131** (11) 2843-2847.

Nº. 203.—The Mediterranean diets: What is so special about the diet of Greece? The scientific evidence. Simopoulos, A.P. *J. Nutr.* 2001, **131** (11) 3065S-3073S.

Nº. 204.—Body fat content can be predicted in vivo in mice using a modified dual-energy X-ray absorptiometry technique. Sjogren, K., Hellberg, N., Bohlooly, Y.M., Savendahl, L., Johansson, M.S., Berglindh, T., Bosaeus, I. and Ohlsson, C. *J. Nutr.* 2001, **131** (11) 2963-2966.

Nº. 205.—Virgin olive oil: Free radical production studied with spin-trapping electron paramagnetic resonance spectroscopy. Skoutas, D., Haralabopoulos, D., Avramiotis, S., Sotiroidis, T.G. and Xenakis, A. *J. Amer. Oil Chem. Soc.* 2001, **78** (11) 1121-1125.

Nº. 206.—The effects of oat fiber on the properties of light bologna and fat-free frankfurters. Steenblock, R.L., Sebranek, J.G., Olson, D.G. and Love, J.A. *J. Food Sci.* 2001, **66** (9) 1409-1415.

Nº. 207.—A new concept of cellular uptake and intracellular trafficking of long-chain fatty acids. Stremmel, W., Pohl, J., Ring, A. and Herrmann, T. *Lipids*, 2001, **36** (9) 981-989.

Nº. 208.—Antioxidative mechanisms of tea catechins in chicken meat systems. Tang, S.Z., Kerry, J.P., Sheehan, D. and Buckley, D.J. *Food Chem.* 2002, **76** (1) 45-51.

Nº. 209.—gamma-linolenic acid restores renal medullary thick ascending limb Na⁺,K⁺-ATPase activity in diabetic rats. Tsimaratos, M., Coste, T.C., DjemliShipkolye, A., Vague, P., Pieroni, G., and Raccach, D. *J. Nutr.* 2001, **131** (12) 3160-3165.

Nº. 210.—Dietary medium-chain triacylglycerols suppress accumulation of body fat in a double-blind, controlled trial in healthy men and women. Tsuji, H., Kasai, M., Takeuchi, H., Nakamura, M., Okazaki, M. and Kondo, K. *J. Nutr.* 2001, **131** (11) 2853-2859.

Nº. 211.—Essential fatty acids in visual and brain development. Uauy, R., Hoffman, D.R., Peirano, P., Birch, D.G. and Birch, E.E. *Lipids*, 2001, **36** (9) 885-895.

Nº. 212.—Influence of triacylglycerol characteristics on the determination of free fatty acids in vegetable oils by Fourier transform infrared spectroscopy. Verleyen, T., Verhe, R., Cano, A., Huyghebaert, A. and DeGreyt, W. *J. Amer. Oil Chem. Soc.* 2001, **78** (10) 981-984.

Nº. 213.—Biochemical and nutritional evaluation of *Neonotonia wightii* (Wight & Arn.) Lackey (Fabaceae). Viswanathan, M.B., Thangadurai, D. and Ramesh, N. *Food Chem.* 2001, **75** (3) 275-279.

Nº. 214.—A novel phospholipase D of arabidopsis that is activated by oleic acid and associated with the plasma membrane. Wang, C.X. and Wang, X.M. *Plant Physiol.* 2001, **127** (3) 1102-1112.

Nº. 215.—Long-term ingestion of dietary diacylglycerol lowers serum triacylglycerol in type II diabetic patients with hypertriglyceridemia. Yamamoto, K., Asakawa, H., Tokunaga, K., Watanabe, H., Matsuo, N., Tokimitsu, I. and Yagi, N. *J. Nutr.* 2001, **131** (12) 3204-3207.

Nº. 216.—Fatty acids enhance GRO/CINC-1 and interleukin-6 production in rat intestinal epithelial cells. Yoshida, H., Miura, S., Kishikawa, H., Hirokawa, M., Nakamizo, H., Nakatsumi, R.C., Suzuki, H., Saito, H. and Ishii, H. *J. Nutr.* 2001, **131** (11) 2943-2950.

Nº. 217.—The Arabidopsis pxa1 mutant is defective in an ATP-binding cassette transporter-like protein required for peroxisomal fatty acid beta-oxidation. Zolman, B.K., Silva, I.D. and Bartel, B. *Plant Physiol.* 2001, **127** (3) 1266-1278.

Nº. 218.—Identification and quantification of cholesterol oxidation products in canned tuna. Zunin, P., Boggia, R. and Evangelisti, F. *J. Amer. Oil Chem. Soc.* 2001, **78** (10) 1037-1040.

OXIDACIÓN

Nº. 219.—Thin-film test to investigate liquid oxypolymerization of nonvolatile analytes: Assessment of vegetable oils and biodegradable lubricants. Asadauskas, S. and Erhan, S. Z. *J. Amer. Oil Chem. Soc.* 2001, **78** (10) 1029-1035.

Nº. 220.—Antioxidants from a heated histidine-glucose model system. Investigation of the copper(II) binding ability. Bersuder, P., Hole, M. and Smith, G. *J. Amer. Oil Chem. Soc.* 2001, **78** (11) 1079-1082.

Nº. 221.—Influence of storage conditions and age at slaughter on lipid oxidation and fatty acid profiles of Apulian lamb. Cifuni, G.F., Braghieri, A., Napolitano, F., Riviezz, A.M. and Girolami, A. *Ital. J. Food Sci.* 2001, **13** (3) 329-336.

Nº. 222.—A unique antioxidant activity of phosphatidylserine on iron-induced lipid peroxidation of phospholipid bilayers. Dacaranhe, C.D. and Terao, J. *Lipids*, 2001, **36** (10) 1105-1110.

Nº. 223.—Atlantic salmon (*Salmo salar*, L.) as raw material for the smoking industry. I: effect of different salting methods on the oxidation of lipids. Espe, M., Nortvedt, R., Lie, O. and Hafsteinsson, H. *Food Chem.* 2001, **75** (4) 411-416.

Nº. 224.—Antioxidant effects of *Origanum majorana* L. on superoxide anion radicals. Jun, W.J., Han, B.K., Yu, K.W., Kim, M.S., Chang, I.S., Kim, H.Y. and Cho, H.Y. *Food Chem.* 2001, **75** (4) 439-444.

Nº. 225.—Effects of natural and synthetic antioxidants on the oxidative stability of borage and evening primrose triacylglycerols. Khan, M.A. and Shahidi, F. *Food Chem.* 2001, **75** (4) 431-437.

Nº. 226.—Diterpenes and antioxidative protection in drought-stressed *Salvia officinalis* plants. MunneBosch, S., Mueller, M., Schwarz, K. and Alegre, L. *J. Plant Physiol.* 2001, **158** (11) 1431-1437.

Nº. 227.—Lipid oxidation, color, volatiles, and sensory characteristics of aerobically packaged and irradiated pork with different ultimate pH. Nam, K.C., Ahn, D.U., Du, M. and Jo, C. *J. Food Sci.* 2001, **66** (8) 1225-1229.

Nº. 228.—Oxidation of phytosterols in a test food system. Oehrl, L.L., Hansen, A.P., Rohrer, C.A., Fenner, G.P. and Boyd, L.C. *J. Amer. Oil Chem. Soc.* 2001, **78** (11) 1073-1078.

Nº. 229.—Application of arrhenius kinetics to evaluate oxidative stability in vegetable oils by isothermal differential scanning calorimetry. Tan, C.P.,

Man, Y.B.C., Selamat, J. and Yusoff, M.S.A. *J. Amer. Oil Chem. Soc.* 2001, **78** (11) 1133-1138.

PROPIEDADES FÍSICO-QUÍMICAS

Nº. 230.—Viscosity estimation of triacylglycerols and of some vegetable oils, based on their triacylglycerol composition. Azian, M.N., Kamal, A.A.M., Panau, F. and Ten, W.K. *J. Amer. Oil Chem. Soc.* 2001, **78** (10) 1001-1005.

Nº. 231.—Rheological properties of milkfat and butter. Wright, A.J., Scanlon, M.G., Hartel, R.W. and Marangoni, A.G. *J. Food Sci.* 2001, **66** (8) 1056-1071.

TECNOLOGÍA

Nº. 232.—Supercritical fluid extraction of encapsulated oil products. Shih, F. and Daigle, K. *J. Amer. Oil Chem. Soc.* 2001, **78** (10) 1057-1059.

TRANSFORMACIONES QUÍMICAS

Nº. 233.—Effects of heat pretreatment on lipid and pigments of freeze-dried spinach. Choe, E., Lee, J., Park, K. and Lee, S. *J. Food Sci.* 2001, **66** (8) 1074-1079.

Nº. 234.—Chemical modification of pigskin gelatin: Factors affecting the esterification of gelatin with fatty acid. Djagny, K.B., Wang, Z. and Xu, S. *J. Food Sci.* 2001, **66** (9) 1326-1330.

Nº. 235.—Synthesis of Delta(2)-isoxazoline fatty acid ester heterocycles. Kenar, J.A. and Erhan, S.Z. *J. Amer. Oil Chem. Soc.* 2001, **78** (10) 1045-1050.

Nº. 236.—Compounds contributing to the odor of aqueous slurries of soy protein concentrate. Lei, Q. and Boatright, W.L. *J. Food Sci.* 2001, **66** (9) 1306-1310.

Nº. 237.—The effect of bleaching and physical refining on color and minor components of palm oil. Rossi, M., Gianazza, M., Alamprese, C. and Stanga, F. *J. Amer. Oil Chem. Soc.* 2001, **78** (10) 1051-1055.

Nº. 238.—Carotenoid content and physicochemical and sensory characteristics of carrot chips deep-fried in different oils at several temperatures. Sulaeman, A., Keeler, L., Giraud, D.W., Taylor, S.L., Wehling, R.L. and Driskell, J.A. *J. Food Sci.* 2001, **66** (9) 1257-1264.

Nº. 239.—Esterification of glycerol with conjugated linoleic acid and long-chain fatty acids from fish oil. Torres, C.F., Garcia, H.S., Ries, J.J. and Hill, C.G. *J. Amer. Oil Chem. Soc.* 2001, **78** (11) 1093-1098.