

# DOCUMENTACIÓN

## Bibliografía de Revistas

### ACEITUNAS DE MESA

**N.º 1.—Changes in the amino acid composition of green olive brine due to fermentation by pure culture of bacteria.** A. Montano, A.H. Sánchez and A. de Castro. *J. Food Sci.*, 2000, **65** (6) 1022-1027.

### AGUAS RESIDUALES

**N.º 2.—Anaerobic treatment of olive mill wastes in batch reactors.** T.H. Erguder, E. Guven and G.N. Demirer. *Process Biochem.*, 2000, **36** (3) 243-248.

### ANÁLISIS

**N.º 3.—Electrochemical sensor and biosensor for polyphenols detection in olive oils.** C. Capannesi, I. Palchetti, M. Mascini and A. Parenti. *Food Chem.*, 2000, **71** (4) 553-562.

**N.º 4.—Gamma-linolenic acid purification from seed oil sources by argentated silica gel chromatography column.** J.L. GuilGuerrero, P. CampraMadrid and E.H. Belarbi. *Process Biochem.*, 2000, **36** (4) 341-354.

**N.º 5.—Determination of wax concentration in sunflower seed oil.** S. Martini and M.C. Anon. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1087-1092.

**N.º 6.—Identification of diacylglycerols and triacylglycerols in a structured lipid sample by atmospheric pressure chemical ionization liquid chromatography/mass spectrometry.** H.L. Mu, H. Sillen and C.E. Hoy. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1049-1059.

**N.º 7.—Rapid method for determining fat content in meat by using continuous wave nuclear magnetic resonance (CW-NMR) technique.** E. Nagy, J. CzeglédiJanko, I. Elias and L. Kormendy. *Acta Aliment.*, 2000, **29** (4) 353-357.

**N.º 8.—Comparison of silver-ion high-performance liquid chromatographic quantification of free and methylated conjugated linoleic acids.** E. Ostrowska, F.R. Dunshea, M. Muralitharan and R.F. Cross. *Lipids*, 2000, **35** (10) 1147-1153.

**N.º 9.—Enzymatic resolution of racemic secondary alcohols by lipase B from *Candida antarctica*.** R.N. Patel, A. Banerjee, V. Nanduri, A. Goswami and F.T. Comezoglu. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1015-1019.

**N.º 10.—Low-field H-1 nuclear magnetic resonance and chemometrics combined for simultaneous determination of water, oil, and protein contents in**

**oilseeds.** H.T. Pedersen, L. Munck and S.B. Engelsen. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1069-1076.

**N.º 11.—Simultaneous HPLC analysis of fat-soluble vitamins in selected animal products after small-scale extraction.** P. SaloVaananen, V. Ollilainen, P. Mattila, K. Lehtikoinen, E. SalmelaMolsa and V. Piironen. *Food Chem.*, 2000, **71** (4) 535-543.

**N.º 12.—Facile purification of tocopherols from soybean oil deodorizer distillate in high yield using lipase.** Y. Shimada, S. Nakai, M. Suenaga, A. Sugihara, M. Kitano and Y. Tominaga. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1009-1013.

**N.º 13.—A new spectrophotometric method for the rapid assessment of deep frying oil quality.** X.Q. Xu. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1083-1086.

### BIOTRANSFORMACIONES

**N.º 14.—Site-directed mutagenesis of a highly active *Staphylococcus epidermidis* lipase fragment identifies residues essential for catalysis.** R.C. Chang, S.J. Chou and J.F. Shaw. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1021-1025.

**N.º 15.—Enzymic synthesis of isoamyl isovalerate using immobilized lipase from *Rhizomucor miehei*: a multivariate analysis.** G.V. Chowdary, M.N. Ramesh and S.G. Prapulla. *Process Biochem.*, 2000, **36** (4) 331-339.

**N.º 16.—Lipase-catalyzed synthesis of ferulate esters (Vol 77, pg 513, 2000).** D.L. Compton, J.A. Laszlo and M.A. Berhow. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1119.

**N.º 17.—Hydrolytic enzyme production in solid-state fermentation by *Aspergillus niger* 3T5B8.** S. Couri, S.D. Terzi, G.A.S. Pinto, S.P. Freitas and A.C.A. daCosta. *Process Biochem.*, 2000, **36** (3) 255-261.

**N.º 18.—Biotransformation of linoleic acid by *Clavibacter* sp ALA2: Heterocyclic and heterobicyclic fatty acids.** H.W. Gardner, C.T. Hou, D. Weisleder and W. Brown. *Lipids*, 2000, **35** (10) 1055-1060.

**N.º 19.—Characterization of oenological strains of *Saccharomyces cerevisiae* using cellular fatty acid and mtDNA restriction polymorphism analysis.** A.R. Gutiérrez, R. López, P. Santamaría and M.J. Sevilla. *Sci. Aliment.*, 2000, **20** (3) 321-330.

**N.º 20.—Chemoenzymatic synthesis of structured triacylglycerols containing eicosapentaenoic and docosahexaenoic acids.** G.G. Haraldsson, A. Halldorsson and E. Kulas. *J. Am. Oil Chemists' Soc.*, 2000, **77** (11) 1139-1145.

**N.º 21.—Production, purification and characterization of an extracellular lipase from the yeast, *Cryptococcus* sp S-2.** N.R. Kamini, T. Fujii, T.

Kurosu and H. Iefuji. *Process Biochem.*, 2000, **36** (4) 317-324.

**N.º 22.—Industrial production of dihomogamma-linolenic acid by a Delta 5 desaturase-defective mutant of *Mortierella alpina* 1S-4 fungus.** H. Kawashima, K. Akimoto, K. Higashiyama, S. Fujikawa and S. Shimizu. *J. Am. Oil Chemists' Soc.*, 2000, **77** (11) 1135-1138.

**N.º 23.—A leaf lipoxygenase of potato induced specifically by pathogen infection.** M.V. Kolomiets, H. Chen, R.J. Gladon, E.J. Braun and D.J. Hannapel. *Plant Physiol*, 2000, **124** (3) 1121-1130.

**N.º 24.—Acyl-acyl carrier protein thioesterase activity from sunflower (*Helianthus annuus* L.) seeds.** E. MartínezForce, S. Cantisan, M.J. SerranoVega and R. Garcés. *Planta*, 2000, **211** (5): 673-678.

**N.º 25.—Oil-water interfacial activation of lipase for interesterification of triglyceride and fatty acid.** T. Maruyama, M. Nakajima, S. Ichikawa, H. Nabetani, S. Furusaki and M. Seki. *J. Am. Oil Chemists' Soc.*, 2000, **77** (11) 1121-1126.

**N.º 26.—Enzymatic hydrolysis of babassu oil in a membrane bioreactor.** F. Mercon, G.L. SantAnna and R. Nobrega. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1043-1048.

**N.º 27.—Impact of post-anoxia stress on membrane lipids of anoxia-pretreated potato cells. A re-appraisal.** D. Pavelic, S. Arpagaus, A. Rawlyer and R. Brandle. *Plant Physiol*, 2000, **124** (3) 1285-1292.

**N.º 28.—Enzymatic acidolysis of tristearin with lauric and oleic acids to produce coating lipids.** S. Sellappan and C.C. Akoh. *J. Am. Oil Chemists' Soc.*, 2000, **77** (11) 1127-1133.

**N.º 29.—Temporal and spatial activity of a promoter from a pea enzyme inhibitor gene and its exploitation for seed quality improvement.** T. Welham and C. Domoney. *Plant Sci.*, 2000, **159** (2) 289-299.

**N.º 30.—Production of structured lipids by lipase-catalyzed interesterification in a flat membrane reactor.** X. Xu, S. Balchen, G. Jonsson and J. AdlerNissen. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1035-1041.

**N.º 31.—Relationship between human adipose tissue agouti and fatty acid synthase (FAS).** B.Z. Xue and M.B. Zemel. *J. Nutr.*, 2000, **130** (10) 2478-2481.

## COMPOSICIÓN

**N.º 32.—Fatty acid composition of malolactic *Enococcus oeni* strains exposed to pH and ethanol stress.** A. Bastianini, L. Granchi, S. Guerrini and M. Vincenzini. *Ital. J. Food Sci.*, 2000, **12** (3) 333-342.

**N.º 33.—Adaptation of composition and biophysical properties of phospholipids to temperature by the crustacean, *Gammarus* spp.** E. Lahdes, G. Balogh, E. Fodor and T. Farkas. *Lipids*, 2000, **35** (10) 1093-1098.

**N.º 34.—Synthesis, purification, and characterization of structured lipids produced from chicken fat.** K.T. Lee and T.A. Foglia. *J. Am. Oil Chemists' Soc.*, 2000, **77** (10) 1027-1034.

**N.º 35.—Isopropanol fractionation of butter oil and characteristics of fractions.** P.K. Pal, D.K. Bhattacharyya and S. Ghosh. *J. Am. Oil Chemists' Soc.*, 2000, **77** (11) 1215-1218.

## NUTRICIÓN

**N.º 36.—Stability of vitamins A, E, and B complex in infant milks claimed to have equal final composition in liquid and powdered form.** S. AlbalaHurtado, M.T. VecianaNogues, M.C. VidalCarou and A. MarineFont. *J. Food Sci.*, 2000, **65** (6) 1052-1055.

**N.º 37.—Low arachidonic acid rather than alpha-tocopherol is responsible for the delayed postnatal development in offspring of rats fed fish oil instead of olive oil during pregnancy and lactation.** E. Amusquivar, F.J. Ruperez, C. Barbas and E. Herrera. *J. Nutr.*, 2000, **130** (11) 2855-2865.

**N.º 38.—Medium- and long-chain fatty acids differentially modulate interleukin-8 secretion in human fetal intestinal epithelial cells.** A. Andoh, H. Takaya, Y. Araki, T. Tsujikawa, Y. Fujiyama and T. Bamba. *J. Nutr.*, 2000, **130** (11) 2636-2640.

**N.º 39.—Growth velocity, fat-free mass and energy intake are inversely related to viral load in HIV-infected children.** S.M. Arpadi, P.A. Cuff, D.P. Kotler, J. Wang, M. Bamji, M. Lange, R.N. Pierson and D.E. Matthews. *J. Nutr.*, 2000, **130** (10) 2498-2502.

**N.º 40.—Glucose is absorbed in a sodium-dependent manner from forestomach contents of sheep.** J.R. Aschenbach, S.K. Bhatia, H. Pfannkuche and G. Gabel. *J. Nutr.*, 2000, **130** (11) 2797-2801.

**N.º 41.—Antisense suppression of 2-cysteine peroxidase in arabidopsis specifically enhances the activities and expression of enzymes associated with ascorbate metabolism but not glutathione metabolism.** M. Baier, G. Noctor, C.H. Foyer and K.J. Dietz. *Plant Physiol*, 2000 **124** (2) 823-832.

**N.º 42.—Interactive effects of dietary cholesterol and different saturated fatty acids on lipoprotein metabolism in the hamster.** M.A. Billett, J.S. Bruce, D.A. White, A.J. Bennett and A.M. Salter. *Brit. J. Nutr.*, 2000 **84** (4) 439-447.

**N.º 43.—Palm tocotrienols protect ApoE +/- mice from diet-induced atheroma formation.** T.M. Black, R. Wang, N. Maeda and R.A. Coleman. *J. Nutr.*, 2000 **130** (10) 2420-2426.

**N.º 44.—Cold acclimation or grapeseed oil feeding affects phospholipid composition and mitochondrial function in duckling skeletal muscle.** F. Chainier, D. Roussel, B. Georges, R. Meister, J.L. Rouanet, C. Duchamp and H. Barre. *Lipids*, 2000, **35** (10) 1099-1106.

**N.º 45.—Soy protein isolate reduces the oxidizability of LDL and the generation of oxidized LDL autoantibodies in rabbits with diet-induced atherosclerosis.** N.R.T. Damasceno, H. Goto, F.M.D. Rodrigues, C.T.S. Dias, F.S. Okawabata, D.S.P. Abdalla and M. Gidlund. *J. Nutr.*, 2000, **130** (11) 2641-2647.

**N.º 46.—Dietary fructans modulate polyamine concentration in the cecum of rats.** N.M. Delzenne, N. Kok, P. Deloyer and G. Dandriofosse. *J. Nutr.*, 2000, **130** (10) 2456-2460.

**N.º 47.—Amount of dietary fat and type of soluble fiber independently modulate postabsorptive conversion of ss-carotene to vitamin A in mongolian gerbils.** D.M. Deming, A.C. Boileau, C.M. Lee and J.W. Erdman. *J. Nutr.*, 2000, **130** (11) 2789-2796.

**N.º 48.—The biology of somatotropin in adipose tissue growth and nutrient partitioning.** T.D. Etherton. *J. Nutr.*, 2000, **130** (11) 2623-2625.

**N.° 49.—Cholesterol reduction by glucomannan and chitosan is mediated by changes in cholesterol absorption and bile acid and fat excretion in rats.** C.M. Gallaher, J. Munion, R. Hesslink, J. Wise and D.D. Gallaher. *J. Nutr.*, 2000, **130** (11) 2753-2759.

**N.° 50.—A high carbohydrate versus a high monounsaturated fatty acid diet lowers the atherogenic potential of big VLDL particles in patients with type 1 diabetes.** A. Georgopoulos, J.P. Bantle, M. Noutsou and H.A. Hoover. *J. Nutr.*, 2000, **130** (10) 2503-2507.

**N.° 51.—Comparison of high-fat and high-carbohydrate foods in a meal or snack on short-term fat and energy intakes in obese women.** S.M. Green, J.K. Wales, C.L. Lawton and J.E. Blundell. *Brit. J. Nutr.*, 2000, **84** (4) 521-530.

**N.° 52.—Platycodi radix affects lipid metabolism in mice with high fat diet- induced obesity.** L.K. Han, B.J. Xu, Y. Kimura, Y.N. Zheng and H. Okuda. *J. Nutr.*, 2000 **130** (11) 2760-2764.

**N.° 53.—Dietary fatty acids, cholesterol, and the lipoprotein profile - Invited commentary.** K.C. Hayes. *Brit. J. Nutr.*, 2000, **84** (4) 397-399.

**N.° 54.—Kinetics of carnitine palmitoyltransferase-I are altered by dietary variables and suggest a metabolic need for supplemental carnitine in young pigs.** K.N. Heo, X. Lin, J. Odle and I.K. Han. *J. Nutr.*, 2000 **130** (10) 2467-2470.

**N.° 55.—Effect of n-3 fatty acid deficiency on fatty acid composition and metabolism of aminophospholipids in rat brain synaptosomes.** A. Ikemoto, M. Ohishi, N. Hata, Y. Misawa, Y. Fujii and H. Okuyama. *Lipids*, 2000 **35** (10) 1107-1115.

**N.° 56.—Fats infused intraduodenally affect the postprandial secretion of the exocrine pancreas and the plasma concentration of cholecystokinin but not of peptide YY in growing pigs.** S. Jakob, R. Mosenthin, R. Zabielski, C. Rippe, M.S. Winzell, U. Gacsalyi, D. Laubitz, E. Grzesiuk and S.G. Pierzynowski. *J. Nutr.*, 2000, **130** (10) 2450-2455.

**N.° 57.—The effect of maternal diets on the mean melting points of human milk fatty acids.** R.G. Jensen and S. Patton. *Lipids*, 2000 **35** (10) 1159-1161.

**N.° 58.—Dietary conjugated linoleic acid did not alter immune status in young healthy women.** D.S. Kelley, P.C. Taylor, I.L. Rudolph, P. Benito, G.J. Nelson, B.E. Mackey and K.L. Erickson. *Lipids*, 2000, **35** (10) 1065-1071.

**N.° 59.—Quantification of the absorption of nutrients derived from carbohydrate assimilation: model experiment with catheterised pigs fed on wheat- or oat-based rolls.** K.E.B. Knudsen, H. Jorgensen and N. Canibe. *Brit. J. Nutr.*, 2000, **84** (4) 449-458.

**N.° 60.—Portal recovery of short-chain fatty acids infused into the temporarily-isolated and washed reticulo-rumen of sheep.** N.B. Kristensen, G. Gabel, S.G. Pierzynowski and A. Danfaer. *Brit. J. Nutr.*, 2000, **84** (4), 477-482.

**N.° 61.—Dietary fat modulates serum paraoxonase 1 activity in rats.** B.J. Kudchodkar, A.G. Lacko, L. Dory and T.V. Fungwe. *J. Nutr.*, 2000, **130** (10) 2427-2433.

**N.° 62.—Chronic marginal iron intakes during early development in mice result in persistent changes in dopamine metabolism and myelin composition.** C.L. KwikUribe, D. Gietzen, J.B. German, M.S. Golub and C.L. Keen. *J. Nutr.*, 2000, **130** (11) 2821-2830.

**N.° 63.—Genistein activates apolipoprotein A-I gene expression in the human hepatoma cell line Hep G2.** S. LamonFava. *J. Nutr.*, 2000, **130** (10) 2489-2492.

**N.° 64.—Sugar beet pulp and apple pomace dietary fibers improve lipid metabolism in rats fed cholesterol.** M. Leontowicz, S. Gorinstein, E. Bartnikowska, H. Leontowicz, G. Kulasek and S. Trakhtenberg. *Food Chem.*, 2001, **72** (1) 73-78.

**N.° 65.—Cu2+-induced low density lipoprotein peroxidation is dependent on the initial O-2 concentration: An O-2 consumption study.** J.K. Lodge, M.G. Traber and P.J. Sadler. *Lipids*, 2000, **35** (10) 1087-1092.

**N.° 66.—Incorporation and metabolism of dietary trans isomers of linolenic acid alter the fatty acid profile of rat tissues.** C. Loi, J.M. Chardigny, S. Almanza, L. Leclere, C. Ginies and J.L. Sebedio. *J. Nutr.*, 2000, **130** (10) 2550-2555.

**N.° 67.—Soy protein peptides regulate cholesterol homeostasis in Hep G2 cells.** M.R. Lovati, C. Manzoni, E. Gianazza, A. Arnoldi, E. Kurowska, K.K. Carroll and C.R. Sirtori. *J. Nutr.*, 2000, **130** (10) 2543-2549.

**N.° 68.—Resting metabolic rate, fat-free mass and catecholamine excretion during weight loss in female obese patients.** R. Menozzi, M. Bondi, A. Baldini, M.G. Venneri, A. Velardo and G. DelRio. *Brit. J. Nutr.*, 2000, **84** (4) 515-520.

**N.° 69.—Supplementation of energy-restricted diets with coconut oil improves nitrogen balance without elevation of blood cholesterol levels.** M.Z.A. Nomani, B.A. Forbes, P. Mossahebi, C.G. Salaita, M.J. LothHaglin, J.L. Harvey and J.L. Brooks. *J. Food Sci.*, 2000, **65** (6) 1066-1069.

**N.° 70.—Highly unsaturated (N-3) fatty acids, but not alpha-linolenic, conjugated linoleic or gamma-linolenic acids, reduce tumorigenesis in Apc(Min/+) mice.** M.B.H. Petrik, M.F. McEntee, B.T. Johnson, M.G. Obukowicz and J. Whelan. *J. Nutr.*, 2000, **130** (10) 2434-2443.

**N.° 71.—Escherichia coli sepsis increases hepatic apolipoprotein B secretion by inhibiting degradation.** H.W. Phetteplace, N. Sedkova, K.I. Hirano, N.O. Davidson and S.P. LanzaJacoboy. *Lipids*, 2000, **35** (10), 1079-1085.

**N.° 72.—Mammary lipogenic enzyme activity, trans fatty acids and conjugated linoleic acids are altered in lactating dairy cows fed a milk fat- depressing diet.** L.S. Piperova, B.B. Teter, I. Bruckental, J. Sampugna, S.E. Mills, M.P. Yurawecz, J. Fritsche, K. Ku and R.A. Erdman. *J. Nutr.*, 2000, **130** (10), 2568-2574.

**N.° 73.—Absorption by rats of tocopherols present in edible vegetable oils.** T. Porsgaard and C.E. Hoy. *Lipids*, 2000, **35** (10) 1073-1078.

**N.° 74.—Dietary supplementation with aged garlic extract inhibits ADP-induced platelet aggregation in humans.** K. Rahman and D. Billington. *J. Nutr.*, 2000, **130** (11) 2662-2665.

**N.° 75.—The role of high-fat diets and physical activity in the regulation of body weight.** P. Schrauwen and K.R. Westerterp. *Brit. J. Nutr.*, 2000, **84** (4) 417-427.

**N.° 76.—Structured lipids improve fat absorption in normal and malabsorbing rats.** E.M. Straarup and C.E. Hoy. *J. Nutr.*, 2000, **130** (11) 2802-2808.

**N.° 77.—The use of visual analogue scales to assess motivation to eat in human subjects: a review of their reliability and validity with an evaluation of**

**new hand-held computerized systems for temporal tracking of appetite ratings.** R.J. Stubbs, D.A. Hughes, A.M. Johnstone, E. Rowley, C. Reid, M. Elia, R. Stratton, H. Delargy, N. King and J.E. Blundell. *Brit. J. Nutr.*, 2000, **84** (4) 405-415.

**N.º 78.—The effect of fat rich diet and alcohol on ion concentration in bile fluid in rats.** K. Szentmihalyi, A. Blazovics, I. Kocsis, E. Feher, B. Lakatos and P. Vinkler. *Acta Aliment.*, 2000, **29** (4) 359-366.

**N.º 79.—Biomarkers of human colonic cell growth are influenced differently by a history of colonic neoplasia and the consumption of acarbose.** G.A. Weaver, C.T. Tangel, J.A. Krause, M.M. Parfitt, J.J. Stragand, P.L. Jenkins, T.A. Erb, R.H. Davidson, H.D. Alpern, W.B. Guiney and P.J. Higgins. *J. Nutr.*, 2000, **130** (11) 2718-2725.

**N.º 80.—Conjugated linoleic acid persistently increases total energy expenditure in AKR/J mice without increasing uncoupling protein gene expression.** D.B. West, F.Y. Blohm, A.A. Truett and J.P. DeLany. *J. Nutr.*, 2000, **130** (10) 2471-2477.

#### OXIDACIÓN

**N.º 81.—Analysis of the alternative pathways for the beta-oxidation of unsaturated fatty acids using transgenic plants synthesizing polyhydroxyalkanoates in peroxisomes.** L. Allenbach and Y. Poirier. *Plant Physiol.*, 2000, **124** (3) 1159-1168.

**N.º 82.—Induction of oxidative stress and GPX-like protein activation in tomato plants after mechanical stimulation.** N. Depege, M. Varenne and N. Boyer. *Plant Physiol.*, 2000, **110** (2) 209-214.

**N.º 83.—Analysis of oxidative stress and wound-inducible dinor isoprostanes F-1 (Phytosteranes F-1) in plants.** R. Imbusch and M.J. Mueller. *Plant Physiol.*, 2000, **124** (3) 1293-1303.

**N.º 84.—Optimization of physicochemical changes of palm olein with phytochemical antioxidants during deep-fat frying.** I. Jaswir, Y.B.C. Man and D.D. Kitts. *J. Am. Oil Chemists'Soc.*, 2000, **77** (11) 1161-1168.

**N.º 85.—Antioxidant activity of sea fennel (*Crithmum maritimum* L.) essential oil and rose (*Rosa canina*) extract on natural olive oil.** M. Ozcan. *Acta Aliment.*, 2000, **29** (4) 377-384.

**N.º 86.—Oxygen consumption by wine lees: impact on lees integrity during wine ageing.** J.M. Salmon, C. Fornairon-Bonnefond, J.P. Mazauric and M. Moutounet. *Food Chem.*, 2000, **71** (4) 519-528.

**N.º 87.—Identification of the pathway of alpha-oxidation of cerebronic acid in peroxisomes.** R. Sandhir, M. Khan and I. Singh. *Lipids*, 2000, **35** (10) 1127-1133.

**N.º 88.—Effects of beta-carotene and lycopene thermal degradation products on the oxidative stability of soybean oil.** D.F. Steenson and D.B. Min. *J. Am. Oil Chemists'Soc.*, 2000, **77** (11) 1153-1160.

**N.º 89.—The effect of grape-skin extract on oxidative status.** J.F. Young, L.O. Dragsted, B. Daneshvar, S.T. Lauridsen, M. Hansen and B. Sandstrom. *Brit. J. Nutr.*, 2000, **84** (4) 505-513.

#### PROPIEDADES FÍSICO-QUÍMICAS

**N.º 90.—How green is green? Sampling and perception in assessing green seeds and chlorophyll in canola.** J.K. Daun and S. Symons. *J. Am. Oil Chemists'Soc.*, 2000, **77** (11) 1209-1213.

**N.º 91.—Effect of aspartame and fat on sweetness perception in yogurt.** S.C. King, P.J. Lawler and J.K. Adams. *J. Food Sci.*, 2000, **65** (6) 1056-1059.

**N.º 92.—Precision and accuracy in the color specification of virgin olive oils from the bromthymol blue method.** M. Melgosa, M.M. Pérez, E. Hita, M.J. Moyano, J. Alba and F.J. Heredia. *J. Am. Oil Chemists'Soc.*, 2000, **77** (10) 1093-1099.

**N.º 93.—Fatty acid triazoles: Novel corrosion inhibitors for oil well steel (N-80) and mild steel.** M.A. Quraishi and D. Jamal. *J. Am. Oil Chemists'Soc.*, 2000, **77** (10) 1107-1111.

#### TECNOLOGÍA

**N.º 94.—Influence of malaxation temperature and time on the quality of virgin olive oils.** F. Angerosa, R. Mostallino, C. Basti and R. Vito. *Food Chem.*, 2001, **72** (1) 19-28.

**N.º 95.—Solvent efficiency for oil extraction from spent bleaching clay.** C.G. Lee, C.E. Seng and K.Y. Liew. *J. Am. Oil Chemists'Soc.*, 2000, **77** (11) 1219-1222.

#### TRANSFORMACIONES FÍSICO-QUÍMICAS

**N.º 96.—Quality evaluation of edible film-coated chicken strips and frying oils.** K.I. Holownia, M.S. Chinnan, M.C. Erickson and P. Mallikarjunan. *J. Food Sci.*, 2000, **65** (6) 1087-1090.

**N.º 97.—Use of artificial neural network to predict temperature, moisture, and fat in slab-shaped foods with edible coatings during deep-fat frying.** G.S. Mittal and J. Zhang. *J. Food Sci.*, 2000, **65** (6) 978-983.

**N.º 98.—Cyclic fatty acid monomers and thermoxidative alteration compounds formed during frying of frozen foods in extra virgin olive oil.** A. Romero, C. Cuesta and F.J. SanchezMuniz. *J. Am. Oil Chemists'Soc.*, 2000, **77** (11) 1169-1175.

**N.º 99.—Electrochemical hydrogenation of edible oils in a solid polymer electrolyte reactor. Sensory and compositional characteristics of low trans soybean oils.** K. Warner, W.E. Neff, G.R. List and P. Pintau. *J. Am. Oil Chemists'Soc.*, 2000, **77** (10) 1113-1117.