

DOCUMENTACIÓN

Bibliografía de Revistas

ACEITUNAS DE MESA

N.º 276.—Optimization of simulated ripe olive darkening in presence of manganese. C. Romero, M. Brenes, P. García, and A. Garrido. *J. Food Sci.* 2000, 65 (2), 254-258.

ANÁLISIS

N.º 277.—Rapid determination of total trans fat content by attenuated total reflection infrared spectroscopy: An International Collaborative Study. M. Adam, M.M. Mossoba, and T. Lee. *J. Am. Oil Chemists' Soc.* 2000, 77 (5), 457-462.

N.º 278.—Regioselective analysis of the fatty acid composition of triacylglycerols with conventional high-performance liquid chromatography. J. A. Arcos, H. S. García, and C.G. Hill. *J. Am. Oil Chemists' Soc.* 2000, 77(5), 507-512.

N.º 279.—Analysis of triacylglyceride hydroperoxides in vegetable oils by nonaqueous reversed-phase high-performance liquid chromatography with ultraviolet detection. C. BauerPlank, and L. SteenhorstSlikkerveer. *J. Am. Oil Chemists' Soc.* 2000, 77(5), 477-482.

N.º 280.—Tools available at present to analyse lactic acid bacteria diversity. M.C. CurkDaubie. *Sci. Aliment.* 2000, 20(1), 19-36.

N.º 281.—Quantitative analysis of edible trans fats by Fourier Transform Infrared spectroscopy from raw materials to finished products. N. Dupuy, C. Wojciechowski, and J. P. Huvenne. *Sci. Aliment.* 1999, 19 (6), 677-686.

N.º 282.—RCA(60): Purification and characterization of ricin D isoforms from *Ricinus sanguineus*. M. Helmy, and G. Pieroni. *J. Plant Physiol.* 2000, 156(4), 477-482.

N.º 283.—Muscle characterisation by NMR imaging and spectroscopic techniques. W. Laurent, J. M. Bonny, and J. P. Renou. *Food Chem.* 2000, 69(4), 419-426.

N.º 284.—Comment on the use of direct pulsed nuclear magnetic resonance solid fat content measurements in phase behavior studies of lipid mixtures. A. G. Marangoni, A. J. Wright, S. S. Narine, and R. W. Lencki. *J. Am. Oil Chemists' Soc.* 2000, 77(5), 565-567.

N.º 285.—A novel analytical method to detect adulteration of virgin olive oil by other oils. T. Mavromoustakos, M. Zervou, G. Bonas, A. Kolocouris, and P. Petrakis. *J. Am. Oil Chemists' Soc.* 2000, 77(4), 405-411.

N.º 286.—Prediction of beef quality attributes from early post mortem near infrared reflectance spectra. R.

Rodbotten, B.N. Nilsen, and K.I. Hildrum. *Food Chem.* 2000, 69(4), 427-436.

N.º 287.—Simultaneous determination of iodine value and trans content of fats and oils by single-bounce horizontal attenuated total reflectance Fourier transform infrared spectroscopy. J. Sedman, F. R. VandeVoort, and A.A. Ismail. *J. Am. Oil Chemists' Soc.* 2000, 77(4), 399-403.

N.º 288.—Identification and quantification of important steryl esters in aspen wood. A. N. Serreqi, R. Leone, L. F. Del Río, S. Mei, M. Fernández, and C. Breuil. *J. Am. Oil Chemists' Soc.* 2000, 77(4), 413-418.

BIOTRANSFORMACIONES

N.º 289.—Lipase activity and fatty acid typospecificities of plant extracts in hydrolysis and interesterification. Y. Caro, P. Villeneuve, M. Pina, M. Reynes, and J. Graille. *J. Am. Oil Chemists' Soc.* 2000, 77 (4), 349-354.

N.º 290.—Lipase-catalyzed synthesis of ferulate esters. D. L. Compton, J.A. Laszlo, and M.A. Berhow. *J. Am. Oil Chemists' Soc.* 2000, 77(5), 513-519.

N.º 291.—Purification and characterization of a novel pumpkin short-chain acyl-coenzyme A oxidase with structural similarity to acyl-coenzyme A dehydrogenases. L. DeBellis, S. Gonzali, A. Alpi, H. Hayashi, M. Hayashi, and M. Nishimura. *Plant Physiol.* 2000, 123(1), 327-334.

N.º 292.—Biochemical modifications and transcriptional alterations attendant to sterol feeding in *Phytophthora parasitica*. W.D. Dotson, S.R. Tove, and L. W. Parks. *Lipids.* 2000, 35(3), 243-247.

N.º 293.—Coordinate changes in carbon partitioning and plastidial metabolism during the development of oilseed rape embryo. P.J. Eastmond, and S. Rawsthorne. *Plant Physiol.* 2000, 122(3), 767-774.

N.º 294.—Biosynthesis of sterols and ecdysteroids in *Ajuga hairy roots*. Y. Fujimoto, K. Ohyama, K. Nomura, R. Hyodo, K. Takahashi, J. Yamada, and M. Morisaki. *Lipids.* 2000, 35(3), 279-288.

N.º 295.—Cloning and characterization of the *Dictyostelium discoideum* cycloartenol synthase cDNA. S. M. Godzina, M.A. Lovato, M.M. Meyer, K.A. Foster, W. K. Wilson, W. Gu, E. L. deHostos, and S.P.T. Matsuda. *Lipids.* 2000, 35(3), 249-255.

N.º 296.—Expression of cucumber lipid-body lipooxygenase in transgenic tobacco: lipid-body lipooxygenase is correctly targeted to seed lipid bodies. B. Hause, H. Weichert, M. Hohne, H. Kindl, and I. Feussner. *Planta.* 2000, 210(5), 708-714.

N.º 297.—Modification of fish oil aroma using a macroalgal lipoxygenase. S. P. Hu, and B. S. Pan. *J. Am. Oil Chemists' Soc.* 2000, **77**(4), 343-348.

N.º 298.—Enzymatic synthesis of 1,3-dicapryloyl-2-eicosapentaenoylglycerol. R. Irimescu, M. Yasui, Y. Iwasaki, N. Shimidzu, and T. Yamane. *J. Am. Oil Chemists' Soc.* 2000, **77**(5), 501-506.

N.º 399.—Coordinate regulation of the nuclear and plastidic genes coding for the subunits of the heteromeric acetyl-coenzyme A carboxylase. J. S. Ke, T. N. Wen, B. J. Nikolau, and E. S. Wurtele. *Plant Physiol.* 2000, **122**(4), 1057-1071.

N.º 300.—Cloning and sequencing of the *Candida albicans* C-4 sterol methyl oxidase gene (ERG25) and expression of an ERG25 conditional lethal mutation in *Saccharomyces cerevisiae*. M. A. Kennedy, T. A. Johnson, N. D. Lees, R. Barbuch, J. A. Eckstein, and M. Bard. *Lipids*. 2000, **35**(3), 257-262.

N.º 301.—Esterification of polyunsaturated fatty acids by various forms of immobilized lipase from *Rhizomucor miehei*. Y. Kosugi, P. K. Roy, Q. L. Chang, S. G. Cao, M. Fukatsu, K. Kanazawa, and H. Nakanishi. *Lipids*. 2000, **35**(4), 461-466.

N.º 302.—Synthesis of low molecular weight flavor esters using plant seedling lipases in organic media. M. Liaquat, and R. K. O. Apenten. *J. Food Sci.* 2000, **65**(2), 295-299.

N.º 303.—Toward a functional catalog of the plant genome. A survey of genes for lipid biosynthesis. S. Mekhedov, O. M. Dellarduya, and J. Ohlrogge. *Plant Physiol.* 2000, **122**(2), 389-401.

N.º 304.—The plastidic phosphoglucumutase from *Arabidopsis*. A reversible enzyme reaction with an important role in metabolic control. C. Periappuram, L. Steinhauer, D. L. Barton, D. C. Taylor, B. Chatson, and J. T. Zou. *Plant Physiol.* 2000, **122**(4), 1193-1199.

N.º 305.—Characterization of lipoxygenase extracts from *Penicillium* sp. X. Perraud, and S. Kermasha. *J. Am. Oil Chemists' Soc.* 2000, **77**(4), 335-342.

N.º 306.—Compartmentation of ATP: citrate lyase in plants. D. Rangasamy, and C. Ratledge. *Plant Physiol.* 2000, **122**(4), 1225-1230.

N.º 307.—Genetic enhancement of fatty acid synthesis by targeting rat liver ATP: citrate lyase into plastids of tobacco. D. Rangasamy, and C. Ratledge. *Plant Physiol.* 2000, **122**(4), 1231-1238.

N.º 308.—Characterization of the *Brassica napus* extraplastidial linoleate desaturase by expression in *Saccharomyces cerevisiae*. D. W. Reed, U. A. Schafer, and P. S. Covello. *Plant Physiol.* 2000, **122**(3), 715-720.

N.º 309.—Exopolysaccharides from lactic acid bacteria: Structure, production and technological applications. A. Ricciardi, and F. Clementi. *Ital. J. Food Sci.* 2000, **12**(1), 23-45.

N.º 310.—Plant sterol-C24-methyl transferases: Different profiles of tobacco transformed with SMT1 or SMT2. A. Schaeffer, P. BouvierNave, P. Benveniste, and H. Schaller. *Lipids*. 2000, **35**(3), 263-269.

N.º 311.—Five-factor response surface optimization of the enzymatic synthesis of citronellyl butyrate by lipase IM77 from *Mucor miehei*. C. J. Shieh, and Y. H. Lou. *J. Amer. Oil Chem. Soc.* 2000, **77**(5), 521-525.

N.º 312.—Expression of allene oxide synthase determines defense gene activation in tomato. S.

Sivasankar, B. Sheldrick, and S. J. Rothstein. *Plant Physiol.* 2000, **122**(4), 1335-1342.

N.º 313.—Bioactive properties of wild blueberry fruits. M. A. L. Smith, K. A. Marley, D. Seigler, K. W. Singletary, and B. Meline. *J. Food Sci.* 2000, **65**(2), 352-356.

N.º 314.—Lipase-catalyzed alcoholysis of crambe oil and camelina oil for the preparation of long-chain esters. G. Steinke, R. Kirchhoff, and K. D. Mukherjee. *J. Amer. Oil Chem. Soc.* 2000, **77**(4), 361-366.

N.º 315.—Alkali-catalyzed alcoholysis of crambe oil and camelina oil for the preparation of long-chain esters. G. Steinke, S. Schonwiese, and K. D. Mukherjee. *J. Amer. Oil Chem. Soc.* 2000, **77**(4), 367-371.

N.º 316.—Continuous production of biodiesel fuel from vegetable oil using immobilized *Candida antarctica* lipase. Y. Watanabe, Y. Shimada, A. Sugihara, H. Noda, H. Fukuda, and Y. Tominaga. *J. Amer. Oil Chem. Soc.* 2000, **77**(4), 355-360.

N.º 317.—Chemistry, biochemistry, and function of sterols - Presented at the 90th AOCs Annual Meeting & Expo in Orlando, Florida, May 1999. L. D. Weete, E. J. Parish, and W. D. Nes. *Lipids*. 2000, **35**(3), 241.

N.º 318.—Lipase-catalyzed acidolysis of tristearin with oleic or caprylic acids to produce structured lipids. V. V. Yankah, and C. C. Akoh. *J. Amer. Oil Chem. Soc.* 2000, **77**(5), 495-500.

COMPOSICIÓN

N.º 319.—Characterisation of acyl-ACP desaturases from *Macadamia integrifolia* Maiden & Betche and *Nerium oleander* L. P. O. Gummeson, M. Lenman, M. Lee, S. Singh, and S. Stymme. *Plant Sci.* 2000, **154**(1), 53-60.

N.º 320.—New cyclopentenone fatty acids formed from linoleic and linolenic acids in potato. M. Hamberg. *Lipids*. 2000, **35**(4), 353-363.

N.º 321.—Fatty acid-specific, regiospecific, and stereospecific hydroxylation by cytochrome P450 (CYP152B1) from *Sphingomonas paucimobilis*: Substrate structure required for alpha-hydroxylation. I. Matsunaga, T. Sumimoto, A. Ueda, E. Kusunose, and K. Ichihara. *Lipids*. 2000, **35**(4), 365-371.

N.º 322.—Biased distribution of the branched-chain fatty acids in ceramides of vernix caseosa. H. Oku, K. Mimura, Y. Tokitsu, K. Onaga, H. Iwasaki, and I. Chinen. *Lipids*. 2000, **35**(4), 373-381.

N.º 323.—Molecular species of triacylglycerols in the seed coats of soybeans (*Glycine max* L.) following microwave treatment. H. Yoshida, S. Takagi, and Y. Hirakawa. *Food Chem.* 2000, **70**(1), 63-69.

NUTRICIÓN

N.º 324.—The age-related eye disease study: A clinical trial of zinc and antioxidants - Age-related eye disease study report no. 2. *J. Nutr.* 2000, **130**(5), 1516S-1519S.

N.º 325.—Effect of n-3 polyunsaturated fatty acid supplementation on lipid peroxidation of rat organs. K.

Ando, K. Nagata, R. Yoshida, K. Kikugawa, and M. Suzuki. *Lipids*. 2000, 35(4), 401-407.

N.° 326.—Reproducibility of energy and macronutrient intake and related substrate oxidation rates in a buffet-type meal. K. Arvaniti, D. Richard, and A. Tremblay. *Brit. J. Nutr.* 2000, 83(5), 489-495.

N.° 327.—Dietary conjugated linoleic acid reduces rat adipose tissue cell size rather than cell number. M. J. Azain, D. B. Hausman, M. B. Sisk, W. P. Flatt, and D. E. Jewell. *J. Nutr.* 2000, 130(6), 1548-1554.

N.° 328.—Lipoprotein lipase activity and mRNA are up-regulated by refeeding in adipose tissue and cardiac muscle of sheep. (Vol 130, pg 749, 2000). M. Bonnet, C. Leroux, Y. Faulconnier, J. F. Hocquette, F. Bocquier, P. Martin, and Y. Chilliard. *J. Nutr.* 2000, 130(6), 1647.

N.° 329.—Effect of dietary high oleic acid sunflower oil, copper and vitamin E on the quality of pork from pigs slaughtered at 160 kg live weight. P. Bosi, J. A. Cacciavillani, L. Casini, P. Macchioni, and S. Mattuzzi. *Ital. J. Food Sci.* 2000, 12(1), 77-90.

N.° 330.—High dietary 18 : 3n-3 increases the 18 : 3n-3 but not the 22 : 6n-3 content in the whole body, brain, skin, epididymal fat pads, and muscles of suckling rat pups. R. A. R. Bowen, and M. T. Clandinin. *Lipids*. 2000, 35(4), 389-394.

N.° 331.—Diets containing long-chain n-3 polyunsaturated fatty acids affect behaviour differently during development than ageing in mice. I. Carrie, P. Guesnet, J. M. Bourre, and H. Frances. *Brit. J. Nutr.* 2000, 83(4), 439-447.

N.° 332.—Cholesterol crystallization in gall-bladder bile of pigs given cholesterol-beta-cyclodextrin-enriched diets with either casein or soyabean concentrate as protein sources. I. Catala, C. Juste, N. Boehler, J. Ferezou, M. Andre, M. Riottot, C. Lutton, H. Lafont, F. Bornet, and T. Corring. *Brit. J. Nutr.* 2000, 83(4), 411-420.

N.° 333.—Separation and quality of fish oil from precooked and non-precooked tuna heads. S. Chantachum, S. Benjakul, and N. Sriwirat. *Food Chem.* 2000, 69(3), 289-294.

N.° 334.—Dietary fat-induced suppression of lipogenic enzymes in B/B rats during the development of diabetes. S. K. Cheema and M. T. Clandinin. *Lipids*. 2000, 35(4), 421-425.

N.° 335.—Dietary oligofructose lessens hepatic steatosis, but does not prevent hypertriglyceridemia in obese Zucker rats. C. A. Dauboul, H. S. Taper, L. D. DeWispelaere, and N. M. Delzenne. *J. Nutr.* 2000, 130(5), 1314-1319.

N.° 336.—Zinc in relation to diabetes and oxidative disease. R. A. DiSilvestro. *J. Nutr.* 2000, 130(5), 1509S-1511S.

N.° 337.—Lactococci as a protein delivery vehicle in the duodenum: application for the treatment of pancreatic lipase deficiencies. S. Drouault, G. Corthier, S. D. Ehrlich, and P. Renault. *Sci. Aliment.* 2000, 20(1), 127-133.

N.° 338.—Lipid composition of erythrocytes and thrombocytes of a subantarctic seabird, the king penguin. C. Fayolle, C. Leray, P. Ohlmann, G. Gutbier, J. P. Cazenave, C. Gachet, and R. Groscolas. *Lipids*. 2000, 35(4), 453-459.

N.° 339.—Relationships of the minerals and fatty acid contents in processed turkey meat products.

M. M. C. Ferreira, M. A. Morgano, S. C. D. DeQueiroz, and D. M. B. Mantovani. *Food Chem.* 2000, 69(3), 259-265.

N.° 340.—Glucose-based oligosaccharides exhibit different in vitro fermentation patterns and affect in vivo apparent nutrient digestibility and microbial populations in dogs. E. A. Flickinger, B. W. Wolf, K. A. Garleb, J. Chow, G. J. Leyer, P. W. Johns, and G. C. Fahey. *J. Nutr.* 2000, 130(5), 1267-1273.

N.° 341.—Increased alpha-linolenic acid intake increases tissue alpha-linolenic acid content and apparent oxidation with little effect on tissue docosahexaenoic acid in the guinea pig. Z. Fu, and A. J. Sinclair. *Lipids*. 2000, 35(4), 395-400.

N.° 342.—Ginger extract consumption reduces plasma cholesterol, inhibits LDL oxidation and attenuates development of atherosclerosis in atherosclerotic, apolipoprotein E-deficient mice. B. Fuhrman, M. Rosenblat, T. Hayek, R. Coleman, and M. Aviram. *J. Nutr.* 2000, 130(5), 1124-1131.

N.° 343.—Consumption of olive oil has opposite effects on plasma total cholesterol and sphingomyelin concentrations in rats. M. J. H. Geelen, and A. C. Beynen. *Brit. J. Nutr.* 2000, 83(5), 541-547.

N.° 344.—Proliferation and differentiation of stromal-vascular cells in primary culture differ between neonatal pigs consuming maternal or formula milk. V. Gerfault, I. Louveau, J. Mourrot, and J. LeDividich. *J. Nutr.* 2000, 130(5), 1179-1182.

N.° 345.—Pork fat and chicken fat similarly affect plasma lipoprotein metabolism in cynomolgus monkeys fed diets with adequate levels of linoleic acid. S. V. Gupta, and P. Khosla. *J. Nutr.* 2000, 130(5), 1217-1224.

N.° 346.—Gene expressions of leptin, insulin receptors and lipogenic enzymes are coordinately regulated by insulin and dietary fat in rats. N. Iritani, T. Sugimoto, and H. Fukuda. *J. Nutr.* 2000, 130(5), 1183-1188.

N.° 347.—Structure-apoptotic potency evaluations of novel sterols using human leukemic cells. B. H. Johnson, M. J. Russell, A. S. Krylov, R. D. Medh, S. AyalaTorres, J. L. Regner, and E. B. Thompson. *Lipids*. 2000, 35(3), 305-315.

N.° 348.—Chronically gorging v. nibbling fat and cholesterol increases postprandial lipaemia and atheroma deposition in the New Zealand White rabbit. C. Juhel, Y. Pafumi, M. Senft, H. Lafont, and D. Lairon. *Brit. J. Nutr.* 2000, 83(5), 549-559.

N.° 349.—Effects of dietary phenolic compounds on tocopherol, cholesterol, and fatty acids in rats. A. KamalEldin, J. Frank, A. Razdan, S. Tengblad, S. Basu, and B. Vessby. *Lipids*. 2000, 35(4), 427-435.

N.° 350.—C-27 to C-32 sterols found in *Pneumocystis*, an opportunistic pathogen of immunocompromised mammals. E. S. Kaneshiro, and M. A. Wyder. *Lipids*. 2000, 35(3), 317-324.

N.° 351.—Changes in liver fatty acid unsaturation after partial hepatectomy in the rat. T. Kishino, M. Tanno, H. Yamada, S. Saito, and S. Matsumoto. *Lipids*. 2000, 35(4), 445-452.

N.° 352.—Effects of dietary essential amino acid deficiencies on immunological variables in broiler chickens. S. Konashi, K. Takahashi, and Y. Akiba. *Brit. J. Nutr.* 2000, 83(4), 449-456.

N.º 353.—Antimutagenic and some other effects of conjugated linoleic acid. D. Kritchevsky. *Brit. J. Nutr.* 2000, **83**(5), 459-465.

N.º 354.—The type of dietary fat alters the hepatic uptake and biliary excretion of cholesterol from chylomicron remnants. M. S. Lambert, M. A. Avella, K. M. Botham, and P. A. Mayes. *Brit. J. Nutr.* 2000, **83**(4), 431-438.

N.º 355.—The degree of saturation of fatty acids influences post-ingestive satiety. G. L. Lawton, H. J. Delargy, J. Brockman, F. C. Smith, and J. E. Blundell. *Brit. J. Nutr.* 2000, **83**(5), 473-482.

N.º 356.—Intakes of dietary docosahexaenoic acid ethyl ester and egg phosphatidylcholine improve maze-learning ability in young and old mice. S. Y. Lim, and H. Suzuki. *J. Nutr.* 2000, **130**(6), 1629-1632.

N.º 357.—Nutritional and short term toxicological evaluation of Perilla seed oil. T. Longvah, Y. G. Deosthale, and P. U. Kumar. *Food Chem.* 2000, **70**(1), 13-16.

N.º 358.—Aluminum content in foods and beverages consumed in the Spanish diet. F. F. Lopez, C. Cabrera, M. L. Lorenzo, and M. C. Lopez. *J. Food Sci.* 2000, **65**(2), 206-210.

N.º 359.—LDL of Taiwanese vegetarians are less oxidizable than those of omnivores. S. C. Lu, W. H. Wu, C. A. Lee, H. F. Chou, H. R. Lee, and P. C. Huang. *J. Nutr.* 2000, **130**(6), 1591-1596.

N.º 360.—Chronic consumption of short-chain fructooligosaccharides does not affect basal hepatic glucose production or insulin resistance in type 2 diabetics. J. Luo, M. VanYperselle, S. W. Rizkalla, F. Rossi, F. R. J. Bornet, and G. Slama. *J. Nutr.* 2000, **130**(6), 1572-1577.

N.º 361.—Dietary iron and copper removal does not improve cholesterol and lipid oxidative stability of raw and cooked broiler meat. C. Maraschiello, C. Sarraga, E. EsteveGarcía, and J. A. G. Regueiro. *J. Food Sci.* 2000, **65**(2), 211-214.

N.º 362.—Cyclic fatty acid monomers from heated oil modify the activities of lipid synthesizing and oxidizing enzymes in rat liver. J. C. Martin, F. Joffre, M. H. Siess, M. F. Vernevaux, P. Collenot, M. Genty, and J. L. Sebedio. *J. Nutr.* 2000, **130**(6), 1524-1530.

N.º 363.—Lymphatic delivery and in vitro pancreatic lipase hydrolysis of glycerol esters of conjugated linoleic acids in rats. J. C. Martin, J. L. Sebedio, C. Caselli, C. Pimont, L. Martine, and A. Bernard. *J. Nutr.* 2000, **130**(5), 1108-1114.

N.º 364.—Utilization of docosahexaenoic acid from intravenous egg yolk phospholipid. S. Morris, K. Simmer, and R. Gibson. *Lipids.* 2000, **35**(4), 383-388.

N.º 365.—Plasma oxysterols and tocopherol in patients with diabetes mellitus and hyperlipidemia. H. Murakami, N. Tamasawa, J. Matsui, M. Yasujima, and T. Suda. *Lipids.* 2000, **35**(3), 333-338.

N.º 366.—Regulation of hepatic Delta-6 desaturase expression and its role in the polyunsaturated fatty acid inhibition of fatty acid synthase gene expression in mice. M. T. Nakamura, H. P. Cho, and S. D. Clarke. *J. Nutr.* 2000, **130**(6), 1561-1565.

N.º 367.—Effect of composition of ruminally-infused short-chain fatty acids on net fluxes of nutrients across portal-drained viscera in underfed ewes. P. Noziere, C. Martin, D. Remond, N. B. Kristensen, R.

Bernard, and M. Doreau. *Brit. J. Nutr.* 2000, **83**(5), 521-531.

N.º 368.—Canthaxanthin supplementation alters antioxidant enzymes and iron concentration in liver of Balb/c mice. P. Palozza, G. Calviello, M. E. DeLeo, S. Serini, and G. M. Bartoli. *J. Nutr.* 2000, **130**(5), 1303-1308.

N.º 369.—Antagonism of arachidonic acid is linked to the antitumorigenic effect of dietary eicosapentaenoic acid in Apc(Min/+) mice. M. B. H. Petrik, M. F. McEntee, C. H. Chiu, and J. Whelan. *J. Nutr.* 2000, **130**(5), 1153-1158.

N.º 370.—Lymphatic transport in rats of several dietary fats differing in fatty acid profile and triacylglycerol structure. T. Porsgaard and C. E. Hoy. *J. Nutr.* 2000, **130**(6), 1619-1624.

N.º 371.—Vegetable oils high in phytosterols make erythrocytes less deformable and shorten the life span of stroke-prone spontaneously hypertensive rats. W. M. N. Ratnayake, M. R. Labbe, R. Mueller, S. Hayward, L. Plouffe, R. Hollywood, and K. Trick. *J. Nutr.* 2000, **130**(5), 1166-1178.

N.º 372.—Influence of sources of dietary oils on the life span of stroke-prone spontaneously hypertensive rats. W. M. N. Ratnayake, L. Plouffe, R. Hollywood, M. R. Labbe, N. Hidirolou, G. Sarwar, and R. Mueller. *Lipids.* 2000, **35**(4), 409-420.

N.º 373.—Postprandial factor VII metabolism: the effect of the R353Q and 10 bp polymorphisms. H. M. Roche, I. L. Black, E. Noone, A. M. Tully, A. S. Whitehead, and M. J. Gibney. *Brit. J. Nutr.* 2000, **83**(5), 467-472.

N.º 374.—The cecum and dietary short-chain fructooligosaccharides are involved in preventing postgastrectomy anemia in rats. K. Sakai, A. Ohta, K. Shiga, M. Takasaki, T. Tokunaga, and H. Hara. *J. Nutr.* 2000, **130**(6), 1608-1612.

N.º 375.—Dietary stearic acid reduces cholesterol absorption and increases endogenous cholesterol excretion in hamsters fed cereal-based diets. C. L. Schneider, R. L. Cowles, C. L. StueferPowell, and T. P. Carr. *J. Nutr.* 2000, **130**(5), 1232-1238.

N.º 376.—Conjugated linoleic acids exhibit a strong fat-to-lean partitioning effect, reduce serum VLDL lipids and redistribute tissue lipids in food-restricted rats. G. I. Stangl. *J. Nutr.* 2000, **130**(5), 1140-1146.

N.º 377.—Study of the effects of dietary fish intake on serum lipids and lipoproteins in two populations with different dietary habits. I. C. Torres, L. Mira, C. P. Ornelas, and A. Melim. *Brit. J. Nutr.* 2000, **83**(4), 371-379.

N.º 378.—Carotenoid bioavailability in humans from tomatoes processed in different ways determined from the carotenoid response in the triglyceride-rich lipoprotein fraction of plasma after a single consumption and in plasma after four days of consumption. K. H. VanhetHof, B. C. J. DeBoer, L. B. M. Tijburg, B. R. H. M. Lucius, I. Zijp, C. E. West, J. G. A. J. Hautvast, and J. A. Weststrate. *J. Nutr.* 2000, **130**(5), 1189-1196.

N.º 379.—Nutrition and behaviour: the role of n-3 fatty acids in cognitive function - Invited commentary. P. Wainwright. *Brit. J. Nutr.* 2000, **83**(4), 337-339.

N.º 380.—The effects of dehydroepiandrosterone on carcinogenesis, obesity, the immune system, and aging. J. R. Williams. *Lipids.* 2000, **35**(3), 325-331.

N.º 381.—Use of a C-13 tracer to quantify the plasma appearance of a physiological dose of lutein in humans. L. H. Yao, Y. X. Liang, W. S. Trahanovsky, R. E. Serfass, and W. S. White. *Lipids*. 2000, 35(3), 339-348.

N.º 382.—African Cucurbita pepo L.: properties of seed and variability in fatty acid composition of seed oil. Y. M. H. Younis, S. Ghirmay, and S. S. AlShihry. *Phytochemistry*. 2000, 54(1), 71-75.

OXIDACIÓN

N.º 383.—Effects of microwave and conventional baking on the oxidative stability and fatty acid composition of puff pastry. O. Daglioglu, M. Tasan, and B. Tuncel. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 543-545.

N.º 384.—The influence of various emulsifiers on the partitioning and antioxidant activity of hydroxybenzoic acids and their derivatives in oil-in-water emulsions. H. Stockmann, K. Schwarz, and T. HuynhBa. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 535-542.

N.º 385.—Epoxidized soybean oil-based ceramer coatings. G. H. Teng and M. D. Soucek. *J. Amer. Oil Chem. Soc.* 2000, 77(4), 381-387.

N.º 386.—The study of epoxidized rapeseed oil used as a potential biodegradable lubricant. X. D. Wu, X. G. Zhang, S. R. Yang, H. G. Chen, and D. P. Wang. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 561-563.

N.º 387.—Moisture loss and lipid oxidation for precooked beef patties stored in edible coatings and films. Y. Wu, J. W. Rhim, C. L. Weller, F. Hamouz, S. Cuppett, and M. Schnepf. *J. Food Sci.* 2000, 65(2), 300-304.

PROPIEDADES FÍSICO-QUÍMICAS

N.º 388.—Equations correlating properties of n-fatty acids and derivatives with chain length. C. H. Fisher. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 569-571.

TECNOLOGÍA

N.º 389.—Deacidification of corn oil by solvent extraction in a perforated rotating disc column. C. G. Pina, and A. J. A. Meirelles. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 553-559.

N.º 390.—High pressure processing of foods: an overview. G. Tewari, D. S. Jayas, and R. A. Holley. *Sci. Aliment.* 1999, 19(6), 619-661.

N.º 391.—Comparison of supercritical fluid and solvent extraction methods in extracting gamma-oryzanol from rice bran. Z. M. Xu, and J. S. Godber. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 547-551.

TRANSFORMACIONES QUÍMICAS

N.º 392.—Evaluation of the role of saturated fatty acids in sedimenting canola oils. I. Botha, R. Mailer,

and K. Robards. *J. Amer. Oil Chem. Soc.* 2000, 77(4), 429-435.

N.º 393.—Enrichment of eicosapentaenoic acid and docosahexaenoic acid in saponified menhaden oil. T. C. Chen, and Y. H. Ju. *J. Amer. Oil Chem. Soc.* 2000, 77(4), 425-428.

N.º 394.—Plasma protein and soy fiber content effect on bologna sausage properties as influenced by fat level. S. Cofrades, M. A. Guerra, J. Carballo, F. Fernández Martín, and F. J. Colmenero. *J. Food Sci.* 2000, 65(2), 281-287.

N.º 395.—Saturated fatty acid adsorption by acidified rice hull ash. A. Farook and S. Ravendran. *J. Amer. Oil Chem. Soc.* 2000, 77(4), 437-440.

N.º 396.—Retention of sulfur flavours by food matrix and determination of sensorial data independent of the medium composition. L. Gijs, G. Piraprez, P. Perpete, E. Spinnler, and S. Collin. *Food Chem.* 2000, 69(3), 319-330.

N.º 397.—Simple, high-efficiency synthesis of fatty acid methyl esters from soapstock. M. J. Haas, S. Bloomer, and K. Scott. *J. Amer. Oil Chem. Soc.* 2000, 77(4), 373-379.

N.º 398.—Synergistic effects of rosemary, sage, and citric acid on fatty acid retention of palm olein during deep-fat frying. I. Jaswir, Y. B. C. Man, and D. D. Kitts. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 527-533.

N.º 399.—Volatiles and oxidative changes in irradiated pork sausage with different fatty acid composition and tocopherol content. C. Jo and D. U. Ahn. *J. Food Sci.* 2000, 65(2), 270-275.

N.º 400.—The effects of roasting temperatures on the formation of headspace volatile compounds in perilla seed oil. S. J. Kim, H. N. Yoon, and J. S. Rhee. *J. Amer. Oil Chem. Soc.* 2000, 77(4), 451-456.

N.º 401.—Crystallization kinetics of fully hydrogenated palm oil in sunflower oil mixtures. W. Kloek, P. Walstra, and T. vanVliet. *J. Amer. Oil Chem. Soc.* 2000, 77(4), 389-398.

N.º 402.—Monitoring a progressing transesterification reaction by fiber-optic near infrared spectroscopy with correlation to H-1 nuclear magnetic resonance spectroscopy. G. Knothe. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 489-493.

N.º 403.—Effect of rosemary and sage extracts on frying performance of refined, bleached and deodorized (RBD) palm olein during deep-fat frying. Y. B. C. Man, and I. Jaswir. *Food Chem.* 2000, 69(3), 301-307.

N.º 404.—High pressure processing of foods: an overview. G. Tewari, D. S. Jayas, and R. A. Holley. *Sci. Aliment.* 1999, 19(6), 619-661.

N.º 405.—The effect of minor components on milk fat crystallization. A. J. Wright, R. W. Hartel, S. S. Narine, and A. G. Marangoni. *J. Amer. Oil Chem. Soc.* 2000, 77(5), 463-475.

N.º 406.—Influence of NaCl addition on the properties of emulsions formed with commercial calcium caseinate. A. Q. Ye, M. Srinivasan, and H. Singh. *Food Chem.* 2000, 69(3), 237-244.