

# DOCUMENTACIÓN

## Bibliografía de Revistas

### ANÁLISIS

**N.º 1.**—**Regiospecific analysis of fractions of bovine milk fat triacylglycerols with the same partition number.** Angers, P.; Tousignant, D.; Boudreau, A.; Arul, J. *Lipids* 1998, **33**, 1195-201.

**N.º 2.**—**Thermal analysis of alternative diesel fuels from vegetable oils.** Dunn, R. O. *J. Amer. Oil Chem. Soc.* 1999, **76**, 109-15.

**N.º 3.**—**Triglyceride analysis by gas chromatography in assessment of authenticity of goat milk fat.** Fontecha, J.; Díaz, V.; Fraga, M. J.; Juárez, M. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1893-96.

**N.º 4.**—**Identification and estimation of tocotrienols in the annatto lipid fraction by gas chromatography mass spectrometry.** Frega, N.; Mozzon, M.; Bocci, F. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1723-27.

**N.º 5.**—**Separation of eicosapentaenoic acid and docosahexaenoic acid in fish oil by kinetic resolution using lipase.** Haraldsson, G. G.; Kristinsson, B. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1551-56.

**N.º 6.**—**Characterization of a semisolid state in milk fat through T-2\* resolved T-1 distributions by time domain nuclear magnetic resonance.** LeBotlan, D.; Ouguerram, L.; Smart, L.; Pugh, L. *J. Amer. Oil Chem. Soc.* 1999, **76**, 255-61.

**N.º 7.**—**An improved reversed-phase thin-layer chromatography method for separation of fatty acid methyl esters.** Marquardt, T. C.; Wilson, R. F. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1889-92.

**N.º 8.**—**Thermal analysis of isothermal crystallization kinetics in blends of cocoa butter with milk fat or milk fat fractions.** Metin, S.; Hartel, R. W. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1617-24.

**N.º 9.**—**Soy lecithin phospholipid determination by Fourier transform infrared spectroscopy and the acid digest arsene-molybdate method: A comparative study.** Nzai, J. M.; Proctor, A. *J. Amer. Oil Chem. Soc.* 1999, **76**, 61-66.

**N.º 10.**—**Nondestructive estimation of fatty acid composition in seeds of *Brassica napus* L. by near-infrared spectroscopy.** Sato, T.; Uezono, I.; Morishita, T.; Tetsuka, T. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1877-81.

**N.º 11.**—**Detection and quantification of cocoa butter equivalents in chocolate model systems: analysis of triglyceride profiles by high resolution GC.** Simoneau, C.; Hannaert, P.; Anklam, E. *Food Chem.* 1999, **65**, 111-16.

**N.º 12.**—**Prediction of proximate fish composition from ultrasonic properties: Catfish, cod, flounder, mackerel and salmon.** Suvanich, V.; Ghaedian, R.; Chanamai, R.; Decker, E. A.; McClements, D. *J. Food Sci.* 1998, **63**, 966-68.

**N.º 13.**—**Determination of sorbitan tristearate in vegetable oils and fats.** Thyssen, K.; Andersen, K. S. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1855-60.

**N.º 14.**—**Flame-ionization detector response to methyl, ethyl, propyl, and butyl esters of fatty acids.** Ulberth, F.; Gabernig, R. G.; Schrammel, F. *J. Amer. Oil Chem. Soc.* 1999, **76**, 263-66.

**N.º 15.**—**A rapid and simple approach to identify different sunflower oil types by means of near-infrared reflectance spectroscopy.** Velasco, L.; PerezVich, B.; Fernández Martínez, J. M. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1883-88.

**N.º 16.**—**Development of calibration equations to predict oil content and fatty acid composition in Brassicaceae germplasm by near-infrared reflectance spectroscopy.** Velasco, L.; Goffman, F. D.; Becker, H. C. *J. Amer. Oil Chem. Soc.* 1999, **76**, 25-30.

**N.º 17.**—**A fully robotic method for the determination of acid values in olive oil without titration.** VelascoArjona, A.; de Castro, M. D. L. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1849-53.

**N.º 18.**—**Quantitative determination of butylated hydroxyanisole, butylated hydroxytoluene, and tert-butyl hydroquinone in oils, foods, and biological fluids by high-performance liquid chromatography with fluorometric detection.** Yankah, V. V.; Ushio H.; Ohshima, T.; Koizumi, C. *Lipids* 1998, **33**, 1139-45.

### BIOTRANSFORMACIONES

**N.º 19.**—**Naphthalic anhydride prevents inhibition of fatty acid elongation by thiocarbamates.** Barrett, P. B.; Harwood, J. L. *Phytochemistry* 1998, **49**, 1897-903.

**N.º 20.**—**Esterification kinetics of long-chain fatty acids and fatty alcohols with a surfactant-coated lipase in n-hexane.** Basheer, S.; Cogan, U.; Nakajima, M. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1785-90.

**N.º 21.**—**Distribution of sulfur within oilseed rape leaves in response to sulfur deficiency during vegetative growth.** BlakeKalff, M. M. A.; Harrison, K. R.; Hawkesford, M. J.; Zhao, F. J.; McGrath, S. P. *Plant Physiol.* 1998, **118**, 1337-44.

**N.º 22.**—**Lipase-catalyzed synthesis of chiral triglycerides.** Chandler, I. C.; Quinlan, P. T.; McNeill, G. P. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1513-18.

**N.º 23.**—**The dicotyledonous species *Erodium moschatum* (L) L'Her. ex Aiton is sensitive to haloxyfop herbicide due to herbicide-sensitive acetyl-coenzyme A carboxylase.** Christopher, J. T.; Holtum, J. A. M. *Planta* 1998, **207**, 275-79.

**N.º 24.**—**Soybean lipoxygenase is active on nonaqueous media at low moisture: A constraint to xerophilic fungi and aflatoxins?** Gardner, H. W.; Grove, M. J.; Keller, N. P. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1801-08.

N.<sup>o</sup> 25.—**Phosphoinositides and stress-induced changes in lipid metabolism of tobacco cells.** Gawer, M.; Norberg, P.; Chervin, D.; Guern, N.; Yaniv, Z.; Mazliak, P.; Kader, J. C. *Plant Sci.* 1999, **141**, 117-27.

N.<sup>o</sup> 26.—**Influences of subzero thermal acclimation on mitochondrial membrane composition of temperate zone marine bivalve mollusks.** Gillis, T. E.; Ballantyne, J. S. *Lipids* 1999, **34**, 59-66.

N.<sup>o</sup> 27.—**Fresh tomato specific fluctuations in the composition of lipoxygenase-generated C6 aldehydes.** Gray, D. A.; Prestage, S.; Linforth, R. S. T.; Taylor, A. J. *Food Chem.* 1999, **64**, 149-55.

N.<sup>o</sup> 28.—**Evaluation of immobilized modified lipase: Aqueous preparation and reaction studies in n-hexane.** Green, K. D.; Nakajima, M. *J.Amer.Oil Chem. Soc.* 1998, **75**, 1519-26.

N.<sup>o</sup> 29.—**Enzymatic synthesis of wax esters from rapeseed fatty acid methyl esters and a fatty alcohol.** Hallberg, M. L.; Wang, D. B.; Harrod, M. *J.Amer.Oil Chem. Soc.* 1999, **76**, 183-87.

N.<sup>o</sup> 30.—**Monitoring of lipase-catalyzed transesterification between eicosapentaenoic acid ethyl ester and tricaprylin by silver ion high-performance liquid chromatography and high-temperature gas chromatography.** Han, J. J.; Iwasaki, Y.; Yamane, T. *J.Amer.Oil Chem.Soc.* 1999, **76**, 31-39.

N.<sup>o</sup> 31.—**Embryo-specific gene expression in microspore-derived embryos of *Brassica napus*. An interaction between abscisic acid and jasmonic acid.** Hays, D. B.; Wilen, R. W.; Sheng, C. X.; Moloney, M. M.; Pharis, R. P. *Plant Physiol.* 1999, **119**, 1065-72.

N.<sup>o</sup> 32.—**Ethylene and ethane from *Poa pratensis* callus and from leaf blades of regenerated and seed-derived plants inoculated with *Bipolaris sorokiniana*.** Hodges, C. F.; Stephens, L. C.; Campbell, D. A. *J.Plant Physiol.* 1999, **154**, 113-18.

N.<sup>o</sup> 33.—**Production of polyhydroxy fatty acids from linoleic acid by *Clavibacter* sp. ALA2.** Hou, C. T.; Gardner, H.; Brown, W. *J.Amer.Oil Chem.Soc.* 1998, **75**, 1483-87.

N.<sup>o</sup> 34.—**Pathway for the biosynthesis of 4-methyl-1-hexanol volatilized from petal tissue of *Nicotiana sylvestris*.** Kandra, L.; Wagner, G. *J. Phytochemistry* 1998, **49**, 1599-604.

N.<sup>o</sup> 35.—**Long-chain aldehyde-forming activity in tobacco leaves.** Kawasaki, W.; Matsui, K.; Akakabe, Y.; Itai, N.; Kajiwara, T. *Phytochemistry* 1998, **49**, 1565-68.

N.<sup>o</sup> 36.—**Production of 8,11,14,17-cis-eicosatetraenoic acid (20: 4 omega-3) by a Delta 5 and Delta 12 desaturase-defective mutant of an arachidonic acid-producing fungus *Mortierella alpina* 1S-4.** Kawashima, H.; Sakuradani, E.; Kamada, N.; Akimoto, K.; Konishi, K.; Ogawa, J.; Shimizu, S. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1495-500.

N.<sup>o</sup> 37.—**The effect of immobilization on the hydrolytic/interesterification activity of lipase from *Rhizopus niveus*.** Kermasha, S.; Bisakowski, B. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1791-99.

N.<sup>o</sup> 38.—**Inactivation by gene disruption of 2-cysteine-peroxiredoxin in *Synechocystis* sp. PCC 6803 leads to increased stress sensitivity.** Klughammer, B.; Baier, M.; Dietz, K. *J. Physiol Plant* 1998, **104**, 699-706.

N.<sup>o</sup> 39.—**Free CoA as activator of 6-hydroxymellein synthase, a multifunctional polyketide biosynthetic enzyme in carrot.** Kuroski, F.; Arisawa, M. *Phytochemistry* 1999, **50**, 565-69.

N.<sup>o</sup> 40.—**Bioconversion of oleic acid to a series of keto-hydroxy and dihydroxy acids by *Bacillus* species NRRL BD-447: Identification of 7-hydroxy-16- oxo-9-cis-octadecenoic acid.** Lancer, A. C. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1809-13.

N.<sup>o</sup> 41.—**Study of the 3-hydroxy eicosanoyl-coenzyme A dehydratase and (E)-2,3 enoyl-coenzyme A reductase involved in acyl-coenzyme A elongation in etiolated leek seedlings.** Lessire, R.; Chevalier, S.; LucetLevannier, K.; Lelouche, J. P.; Mioskowski, C.; Cassagne, C. *Plant Physiol.* 1999, **119**, 1009-15.

N.<sup>o</sup> 42.—**Lipase-catalyzed synthesis of kojic acid esters in organic solvents.** Liu, K. J.; Shaw, J. F. *J.Amer. Oil Chem. Soc.* 1998, **75**, 1507-11.

N.<sup>o</sup> 43.—**Application of potato lipid acyl hydrolase for the synthesis of monoacylglycerols.** Macrae, A. R.; Visicchio, J. E.; Lanot, A. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1489-94.

N.<sup>o</sup> 44.—**Enzymatic characterisation of high-palmitic acid sunflower (*Helianthus annuus* L.) mutants.** Martínez Force, E.; Alvarez Ortega, R.; Garcés, R. *Planta* 1999, **207**, 533-38.

N.<sup>o</sup> 45.—**Phytanic acid alpha-hydroxylation by bacterial cytochrome P450.** Matsunaga, I.; Sumimoto, T.; Kusunose, E.; Ichihara, K. *Lipids* 1998, **33**, 1213-16.

N.<sup>o</sup> 46.—**Use of enzymatic transesterified palm stearin sunflower oil blends in the preparation of table margarine formulation.** Ming, L. O.; Ghazali, H. M.; Let, C. C. *Food Chem.* 1999, **64**, 83-88.

N.<sup>o</sup> 47.—**Regulation of apoplastic NH<sub>4</sub><sup>+</sup> concentration in leaves of oilseed rape.** Nielsen, K. H.; Schjoerring, J. K. *Plant Physiol.* 1998, **118**, 1361-68.

N.<sup>o</sup> 48.—**Modulation of phosphatidylcholine biosynthesis in celery by exogenous fatty acids.** Parkin E. T.; Rolph, C. E. *Phytochemistry* 1999, **50**, 47-51.

N.<sup>o</sup> 49.—**Low soil temperatures induce water deficits in olive (*Olea europaea*) trees.** Pavel, E. W.; Fereres, E. *Physiol Plant* 1998, **104**, 525-32.

N.<sup>o</sup> 50.—**Methyl jasmonate induces lauric acid omega-hydroxylase activity and accumulation of CYP94A1 transcripts but does not affect epoxide hydrolase activities in *Vicia sativa* seedlings.** Pinot, F.; Benveniste, I.; Salaun, J. P.; Durst, F. *Plant Physiol.* 1998, **118**, 1481-86.

N.<sup>o</sup> 51.—**Membrane lipid composition and restoration of photosynthesis during low temperature acclimation in *Synechococcus* sp. strain PCC 7942.** Porankiewicz, J.; Selstam, E.; Campbell, D.; Oquist, G. *Physiol Plant* 1998, **104**, 405-12.

N.<sup>o</sup> 52.—**Characterization of membrane-bound lipase from a thermophilic *Rhizopus oryzae* isolated from palm oil mill effluent.** Razak, C. N. A.; Musani, R.; Basri, M.; Salleh, A. B. *J. Amer. Oil Chem. Soc.* 1999, **76**, 171-74.

N.<sup>o</sup> 53.—**Ripening-induced acceleration of volatile aldehyde generation following tissue disruption in tomato fruit.** Riley, J. C. M.; Thompson, J. E. *Physiol Plant* 1998, **104**, 571-76.

N.<sup>o</sup> 54.—**Enzymatic degradation of polar lipids in *Vigna unguiculata* leaves and influence of drought stress.** Sahsah, Y.; Campos, P.; Gareil, M.; ZuilyFodil, Y.; PhamThi A. T. *Physiol Plant* 1998, **104**, 577-86.

N.<sup>o</sup> 55.—**Nitrate transport and not photoinhibition limits growth of the freshwater cyanobacterium *Synechococcus* species PCC 6301 at low temperature.** Sakamoto, T.; Bryant, D. A. *Plant Physiol.* 1999, **119**, 785-94.

N.º 56.—Conjugated linoleic acid inhibits proliferation but stimulates lipid filling of murine 3T3-L1 preadipocytes. Satory, D. L.; Smith, S. B. *J. Nutr.* 1999, **129**, 92-97.

N.º 57.—Optimization of the reaction conditions in the lipase-catalyzed synthesis of structured triglycerides. Schmid, U.; Bornscheuer, U. T.; Soumanou, M. M.; McNeill, G. P.; Schmid, R. D. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1527-31.

N.º 58.—Large-scale purification of gamma-linolenic acid by selective esterification using Rhizopus delemar lipase. Shimada, Y.; Sakai, N.; Sugihara, A.; Fujita, H.; Honda, Y.; Tominaga, Y. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1539-44.

N.º 59.—Purification of ethyl docosahexaenoate by selective alcoholysis of fatty acid ethyl esters with immobilized Rhizomucor miehei lipase. Shimada, Y.; Maruyama, K.; Sugihara A.; Baba T.; Komemushi, S.; Moriyama, S.; Tominaga, Y. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1565-71.

N.º 60.—Selective hydrolysis of borage oil with Candida rugosa lipase: Two factors affecting the reaction. Shimada, Y.; Fukushima, N.; Fujita, H.; Honda, Y.; Sugihara, A.; Tominaga, Y. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1581-86.

N.º 61.—Continuous production of structured lipid containing gamma-linolenic and caprylic acids by immobilized Rhizopus delemar lipase. Shimada, Y.; Suenaga, M.; Sugihara, A.; Nakai, S.; Tominaga, Y. *J. Amer. Oil Chem. Soc.* 1999, **76**, 189-93.

N.º 62.—Synthesis of tetrahydrofuran ring containing oligoethylene glycol ethers from the seed oil of Vernonia anthelmintica. Singh, S.; Mahajan, S.; Kaur, H. *J. Amer. Oil Chem. Soc.* 1999, **76**, 103-07.

N.º 63.—Possible involvement of phospholipase A(2) in light signal transduction of guard cells of *Commelina communis*. Suh, S. J.; Park, J. G.; Lee, Y. *Physiol Plant* 1998, **104**, 306-10.

N.º 64.—Synthesis of polyfunctional glycerol esters: Lipase-catalyzed esterification of glycerol with diesters. Villeneuve, P.; Foglia, T. A.; Mangos, T. J.; Nunez, A. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1545-49.

N.º 65.—Concentration of omega-3 polyunsaturated fatty acids of marine oils using *Candida cylindracea* lipase: Optimization of reaction conditions. Wanasinghe, U. N.; Shahidi, F. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1767-74.

N.º 66.—Production of specific-structured lipids by enzymatic interesterification in a pilot continuous enzyme bed reactor. Xu, X.; Balchen, S.; Hoy, C. E.; Adler-Nissen, J. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1573-79.

N.º 67.—Parameters affecting diacylglycerol formation during the production of specific-structured lipids by lipase-catalyzed interesterification. Xu, X.; Mu, H.; Skands, A. R. H.; Hoy, C. E.; Adler Nissen, J. *J. Amer. Oil Chem. Soc.* 1999, **76**, 175-81.

N.º 68.—Acetone-stable nanofiltration membranes in deacidifying vegetable oil. Zwijnenberg, H. J.; Krosse, A. M.; Ebert, K.; Peinemann, K. V.; Cuperus, F. P. *J. Amer. Oil Chem. Soc.* 1999, **76**, 83-87.

## COMPOSICIÓN

N.º 69.—Effects of geographical origin and variety on vitamin and mineral composition of hazelnut (*Corylus avellana* L.) varieties cultivated in Turkey. Ackurt, F.; Ozdemir, M.; Biringen, G.; Loker, M. *Food Chem.* 1999, **65**, 309-13.

N.º 70.—Cyclopropenoic fatty acids in gymnosperms: The seed oil of Welwitschia. Aitzetmuller, K.; Vosmann, K. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1761-65.

N.º 71.—Komaroffia oils - An excellent new source of Delta 5-unsaturated fatty acids. Aitzetmuller, K. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1897-99.

N.º 72.—5 alpha,8 alpha-epidioxycholest-6-en-3-beta-ol from three cone snails of the Indian ocean. Aknin, M.; Viracaoundin, I.; Faure, R.; Gaydou, E. M. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1679-81.

N.º 73.—Identification and immunolocalization of superoxide dismutase isoenzymes of olive pollen. Alche, J. D.; Corpas, F. J.; Rodríguez García, M. I.; del Rio, L. A. *Physiol Plant* 1998, **104**, 772-76.

N.º 74.—Phenolic compounds of virgin olive oil: influence of paste preparation techniques. Caponio, F.; Alloggio, V.; Gomes, T. *Food Chem.* 1999, **64**, 203-09.

N.º 75.—Meliacin butenolides from *Trichilia stipulata*. Cortez, D. A. G.; Fernandes, J. B.; Viera, P. C.; DaSilva, M. F. D. F.; Ferreira, A. G.; Cass, Q. B.; Pirani, J. R. *Phytochemistry* 1998, **49**, 2493-96.

N.º 76.—Changes of mitochondrial properties in maize seedlings associated with selection for germination at low temperature. Fatty acid composition, cytochrome c oxidase, and adenine nucleotide translocase activities. DeSantis, A.; Landi, P.; Genchi, G. *Plant Physiol.* 1999, **119**, 743-54.

N.º 77.—Determination of the lipid content of rainbow trout (*Oncorhynchus mykiss*) fillets with the Torry Fish Fat Meter (R). Douirin, C.; Haffray, P.; Vallet, J. L.; Fauconneau, B. *Sci. Aliment.* 1998, **18**, 527-35.

N.º 78.—Composition and quality attributes of reduced fat cheese as affected by lecithin type. Drake, M. A.; Chen, X. Q.; Gerard, P. D.; Gurkin, S. U. *J. Food Sci.* 1998, **63**, 1018-23.

N.º 79.—Differential extraction of eleostearic acid-rich lipid-protein complexes in tung seeds. Dyer, J. M.; Tang, F. Q.; Chapital, D. C.; Lax, A. R.; Shepherd, H. S.; Shih, D. S.; Pepperman, A. B. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1687-90.

N.º 80.—Characterization of the headspace volatile compounds of selected Spanish dry fermented sausages. Edwards, R. A.; Ordóñez, J. A.; Dainty, R. H.; Hierro, E. M.; de la Hoz, L. *Food Chem.* 1999, **64**, 461-65.

N.º 81.—Preparation of malvalic and sterculic acid methyl esters from *Bombax munguba* and *Sterculia foetida* seed oils. Fehling, E.; Schonwiese, S.; Klein, E.; Mukherjee, K. D.; Weber, N. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1757-60.

N.º 82.—Hydroxytyrosol and tyrosol as the main compounds found in the phenolic fraction of steam-exploded olive stones. Fernández Bolaños, J.; Felizón, B.; Brenes, M.; Guillén, R.; Heredia, A. J. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1643-49.

N.º 83.—Unusual 6'-fatty acid esters of (24S)-24-ethylcholesta-5,25-dien-3 beta-yl beta-D-glucopyranoside from *Teucrium fruticans*. Fontana, G.; Savona, G.; Rodríguez, B.; DelaTorre M. C. *Phytochemistry* 1999, **50**, 283-85.

N.º 84.—Optimization of fatty acid extraction from *Phaeodactylum tricornutum* UTEX 640 biomass. González, M. J. I.; Medina, A. R.; Grima, E. M.; Giménez, A. G.; Carstens, M.; Cerdan, L. E. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1735-40.

- N.<sup>o</sup> 85.—Rosemary extract and precooking effects on lipid oxidation in heat- sterilized meat. Guntensperger, B.; HammerliMeier, D. E.; Escher, F. E. *J. Food Sci.* 1998, **63**, 955-57.
- N.<sup>o</sup> 86.—A pathway for biosynthesis of divinyl ether fatty acids in green leaves. Hamberg. M. *Lipids* 1998, **33**, 1061-71.
- N.<sup>o</sup> 87.—Studies on lipid and fatty acid compositions of puffer livers from Indian coastal waters with seasonal variation. Hazra, A. K.; Ghosh, S.; Banerjee, S.; Mukherjee, B. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1673-78.
- N.<sup>o</sup> 88.—Effects of mineral addition on the growth morphology of and arachidonic acid production by *Mortierella alpina* 1S-4. Higashiyama, K.; Yaguchi, T.; Akimoto, K.; Fujikawa, S.; Shimizu, S. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1815-19.
- N.<sup>o</sup> 89.—Enhancement of arachidonic acid production by *Mortierella alpina* 1S-4. Higashiyama, K.; Yaguchi, T.; Akimoto, K.; Fujikawa, S.; Shimizu, S. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1501-05.
- N.<sup>o</sup> 90.—Similarities in the lipid class profiles of oils from Atlantic and Pacific dogfish livers. Kang, S. J.; Timmins, M. C. A.; Ackman, R. G. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1667-72.
- N.<sup>o</sup> 91.—The fatty acid composition of phosphatidylglycerol and sulfoquinovosyldiacylglycerol of *Zea mays* genotypes differing in chilling susceptibility. Kaniuga, Z.; Saczynska, V.; Miskiewicz, E.; Garstka, M. *J. Plant Physiol.* 1999, **154**, 256-63.
- N.<sup>o</sup> 92.—Fatty acids of brown algae from the Russian Far East. Khotimchenko, S. V. *Phytochemistry* 1998, **49**, 2363-69.
- N.<sup>o</sup> 93.—Lipids of *Haliphthoros philippensis*: An oomycetous marine microbe. Kim, H.; Gandhi, S. R.; Moreau, R. A.; Weete, J. D. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1657-65.
- N.<sup>o</sup> 94.—Dihydrovitamin K-1 in oils and margarines. Koivu, T.; Piironen, V.; Lampi, A. M.: Mattila. P. *Food Chem.* 1999, **64**, 411-14.
- N.<sup>o</sup> 95.—Polyamines and sterols in *Cichorium heads*. Krebsky, E. O.; Geuns, J. M. C.; DeProft, M. *Phytochemistry* 1999, **50**, 549-53.
- N.<sup>o</sup> 96.—Relationship between geographical origin and fatty acid composition of extra-virgin olive oils produced in three areas of eastern Sicily. Lanza, C. M.; Russo, C.; Tomaselli, F. *Ital.J.Food Sci.* 1998, **10**, 359-66.
- N.<sup>o</sup> 97.—Seasonal variation in the chemical composition and fatty acid profile of Pacific oysters (*Crassostrea gigas*). Linehan, L. G.; OConnor, T. P.; Burnell, G. *Food Chem.* 1999, **64**, 211-14.
- N.<sup>o</sup> 98.—Very-long-chain (C-28) highly unsaturated fatty acids in marine dinoflagellates. Mansour, M. P.; Volkman, J. K.; Holdsworth, D. G.; Jackson, A. E.; Blackburn, S. I. *Phytochemistry* 1999, **50**, 541-48.
- N.<sup>o</sup> 99.—Differences in the sterol composition of dominant Antarctic zooplankton. Muhlebach, A.; Albers, C.; Kattner, G. *Lipids* 1999, **34**, 45-51.
- N.<sup>o</sup> 100.—Changes in the volatile fraction during ripening of Mahon cheese. Mulet, A.; Escriche, I.; Rossello, C.; Tarrazo, J. *Food Chem.* 1999, **65**, 219-25.
- N.<sup>o</sup> 101.—Tetracyclic triterpenes and other constituents from the leaves and bark of *Larix kaempferi*. Ohtsu, H.; Tanaka, R.; Michida, T.; Shingu, T.; Matsunaga, S. *Phytochemistry* 1998, **49**, 1761-68.
- N.<sup>o</sup> 102.—Fatty acid composition of two new pepper varieties (*Capsicum annuum* L. cv. Jaranda and Jariza). Effect of drying process and nutritional aspects. Pérez Gálvez, A.; Garrido Fernández, J.; Minguez Mosquera, M. I.; Lozano Ruiz, M.; Montero de Espinosa, V. *J. Amer. Oil Chem. Soc.* 1999, **76**, 205-08.
- N.<sup>o</sup> 103.—Concentration of 4-methoxy-2-methyl-2-butanol in Spanish virgin olive oils. Reiners, J.; Grosch, W. *Food Chem.* 1999, **64**, 45-47.
- N.<sup>o</sup> 104.—Brominated fatty acids from lichen *Acorospora gobiensis*. Rezanka, T.; Dembitsky V. *Phytochemistry* 1999, **50**, 97-99.
- N.<sup>o</sup> 105.— $\alpha$ , $\omega$ -dihydroxyecdysone from *Axyris amaranthoides*. Sarker, S. D.; Sik, V.; Rees, H. H.; Dinan, L. *Phytochemistry* 1998, **49**, 2305-10.
- N.<sup>o</sup> 106.—Changes in flax (*Linum usitatissimum* L.) seed lipids during germination. Wanasyundara, P. K. J. P.; Wanasyundara, U. N.; Shahidi, F. *J. Amer. Oil Chem. Soc.* 1999, **76**, 41-48.
- N.<sup>o</sup> 107.—The seed fatty acid composition and the distribution of Delta 5- olefinic acids in the triacylglycerols of some taxaceae (Taxus and Torreya). Wolff, R. L.; Pedrono, F.; Marpeau, A. M.; Christie, W. W.; Gunstone, F. D. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1637-41.
- N.<sup>o</sup> 108.—Reinvestigation of the polymethylene-interrupted 18: 2 and 20: 2 acids of *Ginkgo biloba* seed lipids. Wolff, R. L.; Christie, W. W.; Marpeau, A. M. *J. Amer. Oil Chem. Soc.* 1999, **76**, 273-76.
- N.<sup>o</sup> 109.—Oat lipids. Zhou, M. X.; Robards, K.; Glennie Holmes, M.; Hellwell, S. *J. Amer. Oil Chem. Soc.* 1999, **76**, 159-69.

## NUTRICIÓN

- N.<sup>o</sup> 110.—Docosahexaenoic acid in the infant and its mother. Ackman, R. G. *Lipids* 1999, **34**, 125-28.
- N.<sup>o</sup> 111.—Chemiluminescent determination of cholesterol hydroperoxides in human erythrocyte membrane. Adachi, J.; Asano, M.; Naito, T.; Ueno, Y.; Tatsuno, Y. *Lipids* 1998, **33**, 1235-40.
- N.<sup>o</sup> 112.—Effects of storage conditions on lipid oxidation in infant formulas based on several protein sources. Angulo, A. J.; Romera, J. M.; Ramírez, M.; Gil, A. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1603-07.
- N.<sup>o</sup> 113.—Effects of *Pinus pinaster* and *Pinus koraiensis* seed oil supplementation on lipoprotein metabolism in the rat. Asset, G.; Staels, B.; Wolff, R. L.; Bauge, E.; Madj, Z.; Fruchart, J. C.; Dallongeville, J. *Lipids* 1999, **34**, 39-44.
- N.<sup>o</sup> 114.—Glucocorticoid mediation of dietary energy restriction inhibition of mouse skin carcinogenesis. Birt, D. F.; Yaktine, A.; Duysen, E. *J. Nutr.* 1999, **129**, 571S-4S.
- N.<sup>o</sup> 115.—Dietary pectin lowers sphingomyelin concentration in VLDL and raises hepatic sphingomyelinase activity in rats. Bladergroen, B. A.; Beynen, A. C.; Geelen, M. J. H. *J. Nutr.* 1999, **129**, 628-33.
- N.<sup>o</sup> 116.—Pigs fed cholesterol neonatally have increased cerebrum cholesterol as young adults. Boleman, S. L.; Graf, T. L.; Mersmann, H. J.; Su, D. R.; Krook, L. P.; Savell, J. W.; Park, Y. W.; Pond, W. G. *J. Nutr.* 1998, **128**, 2498-504.
- N.<sup>o</sup> 117.—Effect of dietary cholesterol on low density lipoprotein-receptor, 3-hydroxy-3-methylglutaryl-CoA reductase, and low density lipoprotein receptor-

**related protein mRNA expression in healthy humans.** Boucher, P.; deLorgeril, M.; Salen, P.; Crozier, P.; Delaye, A.; Vallon, J. J.; Geyssant, A.; Dante, R. G. *Lipids* 1998, **33**, 1177-86.

N.<sup>o</sup> 118.—**Dietary calcium phosphate stimulates intestinal lactobacilli and decreases the severity of a salmonella infection in rats.** BoveeOudenhoven, I. M.; Wissink, M. L.; Wouters, J. T.; VanderMeer, R. J. *Nutr.* 1999, **129**, 607-12.

N.<sup>o</sup> 119.—**Lipolysis and lipid oxidation in frozen minced mackerel as related to Tg', molecular diffusion, and presence of gelatin.** Brake, N. C.; Fennema, O. R. *J. Food Sci.* 1999, **64**, 25-32.

N.<sup>o</sup> 120.—**Conjugated linoleic acid inhibits differentiation of pre- and post- confluent 3T3-L1 preadipocytes but inhibits cell proliferation only in preconfluent cells.** Brodie, A. E.; Manning, V. A.; Ferguson, K. R.; Jewell, D. E.; Hu, C. Y. *J. Nutr.* 1999, **129**, 602-06.

N.<sup>o</sup> 121.—**Is there a role for dietary polyunsaturated fatty acid supplementation in canine renal disease?** Brown, S. A.; Finco, D. R.; Brown, C. A. *J. Nutr.* 1998, **128**, 2765S-7S.

N.<sup>o</sup> 122.—**Advances in dietary management of obesity in dogs and cats.** Butterwick, R. F.; Hawthorne A. J. *J. Nutr.* 1998, **128**, 2771S-5S.

N.<sup>o</sup> 123.—**Fish oil feeding delays influenza virus clearance and impairs production of interferon-gamma and virus-specific immunoglobulin A in the lungs of mice.** Byleveld, P. M.; Pang G. T.; Clancy, R. L.; Roberts, D. C. K. *J. Nutr.* 1999, **129**, 328-35.

N.<sup>o</sup> 124.—**Serum antioxidant capacity is increased by consumption of strawberries, spinach, red wine or vitamin C in elderly women.** Cao, G. H.; Russell R. M.; Lischner, N. Prior R. L. *J. Nutr.* 1998, **128**, 2383-90.

N.<sup>o</sup> 125.—**Perception of heat in cheese sauces as affected by capsaicin concentration, fat level, fat mimetic and time.** Carden, L. A.; Penfield, M. P.; Saxton, A. M. *J. Food Sci.* 1999, **64**, 175-79.

N.<sup>o</sup> 126.—**Polyunsaturated fatty acid status and neurodevelopment: A summary and critical analysis of the literature.** Carlson, S. E.; Neuringer, M. *Lipids* 1999, **34**, 171-78.

N.<sup>o</sup> 127.—**Obesity as a risk factor for certain types of cancer.** Carroll, K. K. *Lipids* 1998, **33**, 1055-59

N.<sup>o</sup> 128.—**Glutathione-related enzymic activities in rats receiving high cholesterol or standard diets supplemented with two forms of selenium.** Cases, J.; Puig, M.; Caporiccio, B.; Baroux, B.; Baccou, J. C.; Besancon, P.; Rouanet, J. M. *Food Chem.* 1999, **65**, 207-11.

N.<sup>o</sup> 129.—**Dietary fish oil affects monoaminergic neurotransmission and behavior in rats.** Chalon S.; DelionVancassel, S.; Belzung, C.; Guilloteau, D.; Leguisquet, A. M.; Besnard, J. C.; Durand, G. *J. Nutr.* 1998, **128**, 2512-19.

N.<sup>o</sup> 130.—**Brain development and assessing the supply of polyunsaturated fatty acid.** Clandinin, M. T. *Lipids* 1999, **34**, 131-37.

N.<sup>o</sup> 131.—**Alterations of lipid and cholesterol metabolism in cachectic tumor bearing rats are prevented by insulin.** Costelli, P.; Tessitore, L.; Batetta, B.; Mulas, M. F.; Spano, O.; Pani, P.; Baccino, F. M.; Densi, S. *J. Nutr.* 1999, **129**, 700-06.

N.<sup>o</sup> 132.—**The long history of essential fatty acids but belated knowledge about linoleate deficiency perse: A paradox.** Cunnane, S. C. *J. Nutr.* 1999, **129**, 446.

N.<sup>o</sup> 133.—**Immobilization of porcine pancreatic lipase on celite for application in the synthesis of butyl butyrate in a nonaqueous system.** De Castro, H. F.; deOliveira, P. C.; Soares C. M. F.; Zanin G. M. *J. Amer. Oil Chem. Soc.* 1999, **76**, 147-52.

N.<sup>o</sup> 134.—**Effect of diet on the fatty acid and molecular species composition of dog retina phospholipids.** DeltonVandenbroucke, I.; Maude, M. B.; Chen, H. M.; Aguirre, G. D.; Acland G. M.; Anderson, R. E. *Lipids* 1998, **33**, 1187-93.

N.<sup>o</sup> 135.—**Dietary effects of conjugated octadecatrienoic fatty acid (9 cis, 11 trans, 13 trans) levels on blood lipids and nonenzymatic in vitro lipid peroxidation in rats.** Dhar P.; Ghosh S.; Bhattacharyya, D. K. *Lipids* 1999, **34**, 109-14.

N.<sup>o</sup> 136.—**Effects of dietary polyunsaturated fatty acids on neuronal function.** Fernstrom J. D. *Lipids* 1999, **34**, 161-69.

N.<sup>o</sup> 137.—**Lipoprotein lipase and the disposition of dietary fatty acids.** Fielding, B. A.; Frayn, K. N. *Brit. J. Nutr.* 1998, **80**, 495-502.

N.<sup>o</sup> 138.—**Dietary factors and postprandial lipaemia - Invited commentary.** Frayn, K. N. *Brit. J. Nutr.* 1998, **80**, 409-10.

N.<sup>o</sup> 139.—**Fish oil supplementation prevents diabetes-induced nerve conduction velocity and neuroanatomical changes in rats.** Gerbi, A.; Maixent, J. M.; Ansaldi, J. L.; Pierlovisi, M.; Coste, T.; Pelissier, J. F.; Vague, P.; Raccah, D. *J. Nutr.* 1999, **129**, 207-13.

N.<sup>o</sup> 140.—**Polyunsaturated fatty acids and infant visual development: A critical appraisal of randomized clinical trials.** Gibson, R. A.; Makrides, M. *Lipids* 1999, **34**, 179-84.

N.<sup>o</sup> 141.—**Intestinal degradation in pigs of rye dietary fibre with different structural characteristics.** Glitso, L. V.; Brunsgaard, G.; Hojsgaard, S.; Sandstrom, B.; Knudsen, K. E. B. *Brit. J. Nutr.* 1998, **80**, 457-68.

N.<sup>o</sup> 142.—**n-3 and n-6 fatty acid enrichment by dietary fish oil and phospholipid sources in brain cortical areas and nonneural tissues of formula-fed piglets.** Goustard Langlier, B.; Guesnet, P.; Durand, G.; Antoine, J. M.; Alessandri, J. M. *Lipids* 1999, **34**, 5-16.

N.<sup>o</sup> 143.—**Lutein ester in serum after lutein supplementation in human subjects.** Granado, F.; Olmedilla, B.; Gil Martínez, E.; Blanco, I. *Brit. J. Nutr.* 1998, **80**, 445-49.

N.<sup>o</sup> 144.—**Lipid peroxidation of isolated chylomicrons and oxidative status in plasma after intake of highly purified eicosapentaenoic or docosahexaenoic acids.** Hansen, J. B.; Berge, R. K.; Nordoy, A.; Bonaa, K. H. *Lipids* 1998, **33**, 1123-29.

N.<sup>o</sup> 145.—**The hypotensive effect of docosahexaenoic acid is associated with the enhanced release of ATP from the caudal artery of aged rats.** Hashimoto, M.; Shinozuka, K.; Gamoh, S.; Tanabe, Y.; Hossain, M. S.; Kwon, Y. M.; Hata, N.; Misawa, Y.; Kunitomo, M.; Masumura, S. *J. Nutr.* 1999, **129**, 70-76.

N.<sup>o</sup> 146.—**Dietary conjugated linoleic acid influences the immune response of young and old C57BL/6NCrlIBR mice.** Hayek, M. G.; Han, S. N.; Wu, D. Y.; Watkins, B. A.; Meydani, M.; Dorsey, J. L.; Smith, D. E.; Meydani, S. N. *J. Nutr.* 1999, **129**, 32-38.

- N.<sup>o</sup> 147.—**Allergenicity of edible oils.** Hefle, S. L.; Taylor, S. L. *Food Technol.* 1999, **53**, 62.
- N.<sup>o</sup> 148.—**Biological effects and safety issues related to long-chain polyunsaturated fatty acids in infants.** Heird, W. C. *Lipids* 1999, **34**, 207-14.
- N.<sup>o</sup> 149.—**Peroxisome proliferator-activated receptors: A critical link among fatty acids, gene expression and carcinogenesis.** Heuvel, J. P. V. *J. Nutr.* 1999, **129**, 575S-80S.
- N.<sup>o</sup> 150.—**Neonatal polyunsaturated fatty acid metabolism.** Innis, S. M.; Sprecher, H.; Hatchey, D.; Edmond, J.; Anderson, R. E. *Lipids* 1999, **34**, 139-49.
- N.<sup>o</sup> 151.—**Oral triacylglycerols regulate plasma glucagon-like peptide-1(7-36) and insulin levels in normal and especially in obese rats.** Iritani, N.; Sugimoto, T.; Fukuda, H.; Komiya, M.; Ikeda, H. *J. Nutr.* 1999, **129**, 46-50.
- N.<sup>o</sup> 152.—**Effect of tetracosahexaenoic acid on the content and release of histamine, and eicosanoid production in MC/9 mouse mast cell.** Ishihara, K.; Murata, M.; Kaneniwa, M.; Saito, H.; Shinohara, K.; Maeda Yamamoto, M.; Kawasaki, K.; Ooiizumi, T. *Lipids* 1998, **33**, 1107-14.
- N.<sup>o</sup> 153.—**Assessment of long-chain polyunsaturated fatty acid nutritional supplementation on infant neurobehavioral development and visual acuity.** Jacobson, S. W. *Lipids* 1999, **34**, 151-60.
- N.<sup>o</sup> 154.—**Low density lipoprotein of synovial fluid in inflammatory joint disease is mildly oxidized.** James, M. J.; vanReyk, D.; Rye, K. A.; Dean, R. T.; Cleland, L. G.; Barter, P. J.; Jessup, W. *Lipids* 1998, **33**, 1115-21.
- N.<sup>o</sup> 155.—**Involvement of phospholipids in apolipoprotein B modification during low density lipoprotein oxidation.** Karakatsani, A. I.; Liapikos, T. A.; Troganis, A. N.; Tsoukatos, D. C. *Lipids* 1998, **33**, 1159-62.
- N.<sup>o</sup> 156.—**Sucrose polyester in human volunteers - Reply.** Kelly, S. M.; Hunter, J. O. *Brit J. Nutr.* 1999, **81**, 170-71.
- N.<sup>o</sup> 157.—**Serum caeruloplasmin as a coronary risk factor in the elderly: the Rotterdam Study.** Klipstein Grobusch, K.; Grobbee, D. E.; Koster, J. F.; Lindemans, J.; Boeing, H.; Hofman, A.; Witteman, J. C. M. *Brit. J. Nutr.* 1999, **81**, 139-44.
- N.<sup>o</sup> 158.—**Long-chain polyunsaturated fatty acids in diets for infants: Choices for recommending and regulating bodies and for manufacturers of dietary products.** Koletzko, B.; Sinclair, A. *Lipids* 1999, **31**, 215-20.
- N.<sup>o</sup> 159.—**Beta-carotene, carotenoids and the prevention of coronary heart disease.** Kritchevsky, S. B. *J. Nutr.* 1999, **129**, 5-8.
- N.<sup>o</sup> 160.—**Gastric digestion modifies absorption of butterfat into lymph chylomicrons in rats.** Lai, H. C.; Ney, D. M. *J. Nutr.* 1998, **128**, 2403-10.
- N.<sup>o</sup> 161.—**Balancing fatty acids.** Lands, W. E. M. *Food Technol.* 1999, **53**, 120.
- N.<sup>o</sup> 162.—**The comparative roles of polyunsaturated fatty acids in pig neonatal development.** Leskanich, C. O.; Noble, R. C. *Brit. J. Nutr.* 1999, **81**, 87-106.
- N.<sup>o</sup> 163.—**Exogenous conjugated linoleic acid isomers reduce bovine milk fat concentration and yield by inhibiting de novo fatty acid synthesis.** Loor, J.; Herbein, J. H. *J. Nutr.* 1998, **128**, 2411-19.
- N.<sup>o</sup> 164.—**Olive oil is also a «functional» food.** Markakis, P. C. *Food Technol.* 1999, **53**, 104.
- N.<sup>o</sup> 165.—**Hydrogenated fat high in trans monoenes with an adequate level of linoleic acid has no effect on prostaglandin synthesis in rats.** Mohamedain, M. M.; Kummerow, F. A. *J. Nutr.* 1999, **129**, 15-24.
- N.<sup>o</sup> 166.—**Comparison of the effects of fish oil and olive oil on blood lipids and aortic atherosclerosis in Watanabe heritable hyperlipidaemic rabbits.** Mortensen, A.; Hansen, B. F.; Hansen, J. F.; Frandsen, H.; Bartnikowska, E.; Andersen, P. S.; Bertelsen, L. S. *Brit. J. Nutr.* 1998, **80**, 565-73.
- N.<sup>o</sup> 167.—**Hepatic fatty acid oxidation enzyme activities are stimulated in rats fed the brown seaweed, Undaria pinnatifida (Wakame).** Murata, M.; Ishihara, K.; Saito, H. *J. Nutr.* 1999, **129**, 146-51.
- N.<sup>o</sup> 168.—**Dietary menhaden, seal, and corn oils differentially affect lipid and ex vivo eicosanoid and thiobarbituric acid-reactive substances generation in the guinea pig.** Murphy, M. G.; Wright, V.; Scott, J.; Timmins, A.; Ackman, R. G. *Lipids* 1999, **34**, 115-24.
- N.<sup>o</sup> 169.—**Type of milk consumed can influence plasma concentrations of fatty acids and minerals and body composition in infant and weanling pigs.** Murry, A. C.; Gelae, S.; Casey, J. M.; Foutz, T. L.; Kouakou, B.; Arora, D. *J. Nutr.* 1999, **129**, 132-38.
- N.<sup>o</sup> 170.—**Comparison of RRR-alpha- and all-rac-alpha-tocopherol uptake by permanent rat skeletal muscle myoblasts (L6 cells): Effects of exogenous lipoprotein lipase (Vol 33, pg 1001, 1998).** Nakamura, T.; Reicher, H.; Sattler, W. *Lipids* 1999, **34**, 93.
- N.<sup>o</sup> 172.—**Dietary alpha-linolenate suppresses endotoxin-induced platelet-activating factor production in rat kidney.** Ohhashi, K.; Takahashi, T.; Tanabe, A.; Watanabe, S.; Okuyama H. *Lipids* 1999, **34**, 31-37.
- N.<sup>o</sup> 173.—**Allyl-containing sulfides in garlic increase uncoupling protein content in brown adipose tissue, and noradrenaline and adrenaline secretion in rats.** Oi, Y.; Kawada, T.; Shishido, C.; Wada, K.; Kominato, Y.; Nishimura, S.; Ariga, T.; Iwai, K. *J. Nutr.* 1999, **129**, 336-42.
- N.<sup>o</sup> 174.—**Grape juice but not orange or grapefruit juice inhibits platelet activity in dogs and monkeys (Macaca fascicularis).** Osman, H. E.; Maalej, N.; Shanmuganayagam, D.; Folts J. D. *J. Nutr.* 1998, **128**, 2307-12.
- N.<sup>o</sup> 175.—**Postprandial plasma carotenoid responses following consumption of strawberries, red wine, vitamin C or spinach by elderly women.** Paiva, S. A. R.; Yeum, K. J.; Cao, G. H.; Prior, R. L.; Russell, R. M. *J. Nutr.* 1998, **128**, 2391-94.
- N.<sup>o</sup> 176.—**Metabolism of dietary alpha-linolenic acid vs. eicosapentaenoic acid in rat immune cell phospholipids during endotoxemia.** Palombo, J. D.; DeMichele, S. J.; Boyce, P. J.; Noursalehi, M.; Forse, R. A.; Bistrian, B. R. *Lipids* 1998, **33**, 1099-105.
- N.<sup>o</sup> 177.—**Phytosterol content of experimental diets differing in fatty acid composition.** Phillips, K. M.; TarragoTrani, M. T.; Stewart, K. K. *Food Chem.* 1999, **64**, 415-22.
- N.<sup>o</sup> 178.—**Lymphatic fatty acid absorption profile during 24 hours after administration of triglycerides to rats.** Porsgaard, T.; Straarup, E. M.; Hoy, C. E. *Lipids* 1999, **34**, 103-07.

- N.<sup>o</sup> 179.—Antioxidant and radical-scavenging activities of buckwheat seed components. Przybylski, R.; Lee, Y. C.; Eskin, N. A. M. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1595-601.
- N.<sup>o</sup> 180.—High maternal intake of polyunsaturated fatty acids during pregnancy in mice alters offsprings' aggressive behavior, immobility in the swim test, locomotor activity and brain protein kinase C activity. Raygada, M.; Cho, E.; Hilakivi-Clarke, L. *J. Nutr.* 1998, **128**, 2505-11.
- N.<sup>o</sup> 181.—Differential effect of N-ethyl maleimide on Delta 6-desaturase activity in human fetal liver toward fatty acids of the n-6 and n-3 series. Rodríguez, A.; Sarda, P.; Boulot, P.; Leger, C. L.; Descomps, B. *Lipids* 1999, **34**, 23-30.
- N.<sup>o</sup> 182.—Energy available from corn oil is not different than that from beef tallow in high-or low-fiber diets fed to humans. Rumpler, W. V.; Baer, D. J.; Rhodes, D. G. *J. Nutr.* 1998, **128**, 2374-82.
- N.<sup>o</sup> 183.—Assembly of very low density lipoprotein: A two-step process of apolipoprotein B core lipidation. Rustaeus, S.; Lindberg, K.; Stilemark, P.; Claesson, C.; Asp, L.; Larsson, T.; Boren, J.; Olofsson, S. *O. J. Nutr.* 1999, **129**, 463S-6S.
- N.<sup>o</sup> 184.—Caecal fermentation and energy accumulation in the rat fed on indigestible oligosaccharides. Sakaguchi, E.; Sakoda, C.; Toramaru, Y. *Brit. J. Nutr.* 1998, **80**, 469-76.
- N.<sup>o</sup> 185.—Physical state of meal affects gastric emptying, cholecystokinin release and satiety. Santangelo, A.; Peracchi, M.; Conte, D.; Fraquelli, M.; Porriini, M. *Brit. J. Nutr.* 1998, **80**, 521-27.
- N.<sup>o</sup> 186.—Preparation of chylomicrons and VLDL with monoacid-rich triacylglycerol and characterization of kinetic parameters in lipoprotein lipase-mediated hydrolysis in chickens. Sato, K.; Takahashi, T.; Takahashi, Y.; Shiono, H.; Katoh, N.; Akiba, Y. *J. Nutr.* 1999, **129**, 126-31.
- N.<sup>o</sup> 187.—Oral sterol intake in The Netherlands: evaluation of the results obtained by GC analysis of duplicate 24-h diet samples collected in 1994. Schothorst, R. C.; Jekel, A. A. *Food Chem.* 1999, **64**, 561-66.
- N.<sup>o</sup> 188.—Long-chain polyunsaturated fatty acids and eicosanoids in infants Physiological and pathophysiological aspects and open questions. Sellmayer, A.; Koletzko, B. *Lipids* 1999, **34**, 199-205.
- N.<sup>o</sup> 189.—Liver alpha-tocopherol transfer protein and its mRNA are differentially altered by dietary vitamin E deficiency and protein insufficiency in rats. Shaw, H. M.; Huang, C. J. *J. Nutr.* 1998, **128**, 2348-54.
- N.<sup>o</sup> 190.—Apolipoprotein B in the rough endoplasmic reticulum: Translation, translocation and the initiation of lipoprotein assembly. Shelness, G. S.; Ingram, M. F.; Huang, X. F.; De Lozier, J. A. *J. Nutr.* 1999, **129**, 456S-62S.
- N.<sup>o</sup> 191.—Vitamin E reduces cholesterol esterification and uptake of acetylated low density lipoprotein in macrophages. Shige, H.; Ishikawa, T.; Suzukawa, M.; Nishiwaki, M.; Yamashita, T.; Nakajima, K.; Ito, T.; Higashi, K.; Ayaori, M.; Yonemura, A.; Nestel, P.; Nakamura, H. *Lipids* 1998, **33**, 1169-75.
- N.<sup>o</sup> 192.—The effect of acute carbohydrate load on the monophasic or biphasic nature of the postprandial lipaemic response to acute fat ingestion in human subjects. Shishehbor, F.; Roche, H. M.; Gibney, M. J. *Brit. J. Nutr.* 1998, **80**, 411-18.
- N.<sup>o</sup> 193.—Diet and large intestinal disease in dogs and cats. Simpson, J. W. *J. Nutr.* 1998, **128**, 2717S-22S.
- N.<sup>o</sup> 194.—A survey of serum and dietary carotenoids in captive wild animals. Slifka, K. A.; Bowen, P. E.; Stacewicz-Sapuntzakis, M.; Crissey, S. D. *J. Nutr.* 1999, **129**, 380-90.
- N.<sup>o</sup> 195.—A carbohydrate-rich diet stimulates glucose-6-phosphate dehydrogenase expression in rat hepatic sinusoidal endothelial cells. Spolarics, Z. *J. Nutr.* 1999, **129**, 105-08.
- N.<sup>o</sup> 196.—Assessment of the arachidonic acid content in foods commonly consumed in the American diet. Taber, L.; Chiu, C. H.; Whelan, J. *Lipids* 1998, **33**, 1151-57.
- N.<sup>o</sup> 197.—Carotenoid intakes, assessed by dietary questionnaire, are associated with plasma carotenoid concentrations in an elderly population. Tucker, K. L.; Chen, H. L.; Vogel, S.; Wilson, P. W. F.; Schaefer, E. J.; Lammi-Keeffe, C. J. *J. Nutr.* 1999, **129**, 438-45.
- N.<sup>o</sup> 198.—Fish oil supplementation with and without added vitamin E differentially modulates plasma antioxidant concentrations in healthy women. Turley, E.; Wallace, J. M. W.; Gilmore, W. S.; Strain, J. J. *Lipids* 1998, **33**, 1163-67.
- N.<sup>o</sup> 199.—High-linoleate and high-alpha-linolenate diets affect learning ability and natural behavior in SAMR1 mice. Umezawa, M.; Kogishi, K.; Tojo, H.; Yoshimura, S.; Seriu, N.; Ohta, A.; Takeda, T.; Hosokawa, M. *J. Nutr.* 1999, **129**, 431-37.
- N.<sup>o</sup> 200.—Low doses of eicosapentaenoic acid, docosahexaenoic acid, and hypolipidemic eicosapentaenoic acid derivatives have no effect on lipid peroxidation in plasma. Vaagenes, H.; Muna, Z. A.; Madsen, L.; Berge, R. K. *Lipids* 1998, **33**, 1131-37.
- N.<sup>o</sup> 201.—Insights into apolipoprotein B biology from transgenic and gene-targeted mice. Veniant, M. M.; Kim, E.; McCormick, S.; Boren, J.; Nielsen, L. B.; Raabe, M.; Young, S. G. *J. Nutr.* 1999, **129**, 451S-5S.
- N.<sup>o</sup> 202.—Lipid and fatty acid composition of brush border membrane of rat intestine during starvation. Waheed, A. A.; Yasuzumi, F.; Gupta, P. D. *Lipids* 1998, **33**, 1093-97.
- N.<sup>o</sup> 203.—Symposium: Assembly and physiology of apolipoprotein B-containing lipoproteins: Not just for heart disease anymore! Introduction. Walzem, R. L.; Hamilton, R. L. *J. Nutr.* 1999, **129**, 449S-50S.
- N.<sup>o</sup> 204.—Estrogen induction of VLDL<sub>y</sub> assembly in egg-laying hens. Walzem, R. L.; Hansen, R. J.; Williams, D. L.; Hamilton, R. L. *J. Nutr.* 1999, **129**, 467S-72S.
- N.<sup>o</sup> 205.—Somatotropin regulates adipose tissue metabolism in neonatal swine. Wang, Y. X.; Fried, S. K.; Petersen, R. N.; Schoknecht, P. A. *J. Nutr.* 1999, **129**, 139-45.
- N.<sup>o</sup> 206.—Long-chain polyunsaturated fatty acid levels in formulae influence deposition of docosahexaenoic acid and arachidonic acid in brain and red blood cells of artificially reared neonatal rats. Ward, G. R.; Huang, Y. S.; Bobik, E.; Xing, H. C.; Mutsaers, L.; Auestad, N.; Montalto, M.; Wainwright, P. J. *Nutr.* 1998, **128**, 2473-87.
- N.<sup>o</sup> 207.—Diet and skin disease in dogs and cats. Watson, T. D. G. *J. Nutr.* 1998, **128**, 2783S-9S.

N.º 208.—**Effects of red pepper added to high-fat and high-carbohydrate meals on energy metabolism and substrate utilization in Japanese women.** Yoshioka, M.; StPierre, S.; Suzuki, M.; Tremblay, A. *Brit. J. Nutr.* 1998, **80**, 503-10.

N.º 209.—**Sucrose polyester in human volunteers.** Zorich, N.; Allgood, G.; Peters, J. *Brit. J. Nutr.* 1999, **81**, 169-70.

#### OXIDACIÓN/ANTIOXIDANTES

N.º 210.—**Effect of plant extracts on the oxidative stability of sunflower oil and emulsion.** Abdalla, A. E.; Roozen, J. P. *Food Chem.* 1999, **64**, 323-29.

N.º 211.—**Osmotic stress induced changes in lipid composition and peroxidation in leaf discs of Brassica napus L.** Aziz, A.; Larher, F. *J. Plant Physiol.* 1998, **153**, 754-62.

N.º 212.—**Potato lipoxygenase catalysed co-oxidation of beta-carotene.** Aziz S.; Wu, Z. C.; Robinson, D. S. *Food Chem.* 1999, **64**, 227-30.

N.º 213.—**Inhibition of lipoxygenase 1 by phosphatidylcholine micelles-bound curcumin.** Began, G.; Sudharshan, E.; Rao, A. G. A. *Lipids* 1998, **33**, 1223-28.

N.º 214.—**NADPH and ferredoxin: NADP(+) oxidoreductase-dependent reduction of quinones and their reoxidation.** Bojko, M.; Wieckowski, S. *Phytochemistry* 1999, **50**, 203-08.

N.º 215.—**Kinetics of thermal inactivation of pea seed lipoxygenases and the effect of additives on their thermostability.** Bustos, M. D.; Apenten, R. K. O.; Robinson, D. S.; Wu, Z.; Casey R.; Hughes, R. K. *Food Chem.* 1999, **65**, 323-29.

N.º 216.—**Antioxidant content and colour level in different varieties of red pepper (*Capsicum annuum* L.) affected by plant-leaf Ti4+ spray and processing.** Carvajal, M.; Gimenez, J. L.; Riquelme, F.; Alcaraz, C. F. *Acta Aliment.* 1998, **27**, 365-75.

N.º 217.—**Lipid oxidation, volatiles and color changes of irradiated pork patties as affected by antioxidants.** Chen, X.; Jo, C.; Lee, J. I.; Ahn, D. U. *J. Food Sci.* 1999, **64**, 16-9.

N.º 218.—**Antioxidant activities of six natural phenolics against lipid oxidation induced by Fe2+ or ultraviolet light.** Chen, X. Y.; Ahn, D. U. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1717-21.

N.º 219.—**Iron-catalyzed oxidation of Menhaden oil as affected by emulsifiers.** Donnelly, J. L.; Decker, E. A.; McClements, D. J. *J. Food Sci.* 1998, **63**, 997-1000.

N.º 220.—**Oxidative stability of polyunsaturated fatty acids and soybean oil in an aqueous solution with emulsifiers.** Duh, P. D.; Yen, W. J.; Yen, G. C. *J. Amer. Oil Chem. Soc.* 1999, **76**, 201-04.

N.º 221.—**Cysteine is the presumed catalytic residue of *Citrus sinensis* phospholipid hydroperoxide glutathione peroxidase over-expressed under salt stress.** Faltin, Z.; Camoin L.; BenHayyim, G.; Perl, A.; BeeorTzahar, T.; Strosberg, A. D.; Holland, D.; Eshdat, Y. *Physiol Plant* 1998, **104**, 741-46.

N.º 222.—**Antioxidant activity of palm oil carotenoids in organic solution: effects of structure and chemical reactivity.** Farombi, E. O.; Britton, G. *Food Chem.* 1999, **64**, 315-21.

N.º 223.—**2-thiobarbituric acid test for lipid oxidation in food: Synthesis and spectroscopic study of 2-thiobarbituric acid-malonaldehyde adduct.** Guzman

Chozas, M.; Vicario Romero, I. M.; Guillén Sans, R. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1711-15.

N.º 224.—**Principal component analysis of measured quantities during degradation of hydroperoxides in oxidized vegetable oils.** Heberger, K.; Keszler, A.; Gude, M. *Lipids* 1999, **34**, 83-92.

N.º 225.—**Antioxidant activity of flavonol aglycones and their glycosides in methyl linoleate.** Hopia, A.; Heinonen, M. *J. Amer. Oil Chem. Soc.* 1999, **76**, 139-44.

N.º 226.—**Effect of alpha- and gamma-tocopherols on thermal polymerization of purified high-oleic sunflower triacylglycerols.** Lampi, A. M.; Kamal Eldin, A. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1699-703.

N.º 227.—**Effect of fatty acid positional distribution and triacylglycerol composition on lipid by-products formation during heat treatment: III - Cyclic fatty acid monomers study.** Martín, J. C.; Lavillonneire, F.; Nour, M.; Sebedio, J. L. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1691-97.

N.º 228.—**Static headspace gas chromatographic analyses to determine oxidation of fish muscle lipids during thermal processing.** Medina, I.; Satue Gracia, M. T.; Frankel, E. N. *J. Amer. Oil Chem. Soc.* 1999, **76**, 231-36.

N.º 229.—**Effects of processing on the oxidative stability of soybean oil produced in Mexico.** Medina Juárez, L. A.; González Díaz, P.; Gamez Meza, N.; Ortega García, J.; Moreno Varela, A. B.; Bringas Alvarado, L.; Angulo Guerrero, O. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1729-33.

N.º 230.—**Oxidation of linoleic acid in emulsions: Effect of substrate, emulsifier, and sugar concentration.** Ponginebbi, L.; Nawar, W. W.; Chinachoti, P. *J. Amer. Oil Chem. Soc.* 1999, **76**, 131-38.

N.º 231.—**Evaluation of the antioxidant activity of lupin seed flour and derivatives (*Lupinus albus* ssp. *Graecus*).** Tsaliiki, E.; Lagouri, V.; Doxastakis, G. *Food Chem.* 1999, **65**, 71-75.

N.º 232.—**Antioxidant activity and mechanism of action of thymol and carvacrol in two lipid systems.** Yanishlieva, N. V.; Marinova, E. M.; Gordon, M. H.; Raneva, V. G. *Food Chem.* 1999, **64**, 59-66.

N.º 233.—**Stability of vitamin A in oil-in-water-in-oil-type multiple emulsions.** Yoshida, K.; Sekine, T.; Matsuzaki, F.; Yanaki, T.; Yamaguchi, M. *J. Amer. Oil Chem. Soc.* 1999, **76**, 195-200.

N.º 234.—**Antioxidant activity of extracts from old tea leaves.** Zandi, P.; Gordon, M. H. *Food Chem.* 1999, **64**, 285-88.

N.º 235.—**Acetone-stable nanofiltration membranes in deacidifying vegetable oil.** Zwijnenberg, H. J.; Krosse, A. M.; Ebert, K.; Peinemann, K. V.; Cuperus, F. P. *J. Amer. Oil Chem. Soc.* 1999, **76**, 83-87.

N.º 236.—**Acetone-stable nanofiltration membranes in deacidifying vegetable oil.** Zwijnenberg, H. J.; Krosse, A. M.; Ebert, K.; Peinemann, K. V.; Cuperus, F. P. *J. Amer. Chem. Soc.* 1999, **76**, 83-87.

#### PROPIEDADES FÍSICO-QUÍMICAS

N.º 237.—**Relation of fat bloom in chocolate to polymorphic transition of cocoa butter.** Bricknell, J.; Hartel, R. W. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1609-15.

N.<sup>o</sup> 238.—**Stabilization of water-in-oil emulsions by submicrocrystalline alpha- form fat particles.** Garti, N.; Binyamin, H.; Aserin, A. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1825-31.

N.<sup>o</sup> 239.—**Isothermal crystallization of hydrogenated sunflower oil: II. Growth and solid fat content.** Herrera, M. L.; Falabella, C.; Melgarejo, M.; Anon, M. C. *J. Amer. Oil Chem. Soc.* 1999, **76**, 1-6.

N.<sup>o</sup> 240.—**Flow properties of table margarine prepared from lipase-catalysed transesterified palm stearin palm kernel olein feedstock.** Lai, O. M.; Ghazali, H. M.; Cho, F.; Chong, C. L. *Food Chem.* 1999, **64**, 221-26.

N.<sup>o</sup> 241.—**Physicochemical characteristics of palm-based oil blends for the production of reduced fat spreads.** Lida, H. M. D. N.; Ali, A. R. M. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1625-31.

N.<sup>o</sup> 242.—**On the use and misuse of the avrami equation in characterization of the kinetics of fat crystallization (Vol 75, pp. 1465, 1998).** Marangoni, A. G. *J. Amer. Oil Chem. Soc.* 1999, **76**, 281.

N.<sup>o</sup> 243.—**The difference between cocoa butter and Salatrim (R) lies in the microstructure of the fat crystal network.** Narine, S. S.; Marangoni, A. G. *J. Amer. Oil Chem. Soc.* 1999, **76**, 7-13.

N.<sup>o</sup> 244.—**The difference between cocoa butter and Salatrim (R) lies in the microstructure of the fat crystal network.** Narine, S. S.; Marangoni, A. G. *J. Amer. Oil Chem. Soc.* 1999, **76**, 7-13.

N.<sup>o</sup> 245.—**Myofibrillar protein solubility of model beef batters as affected by low levels of calcium, magnesium and zinc chloride.** Nayak, R.; Kenney, P. B.; Slider, S.; Head, M. K.; Killefer, J. *J. Food Sci.* 1998, **63**, 951-54.

N.<sup>o</sup> 246.—**Myofibrillar protein solubility of model beef batters as affected by low levels of calcium, magnesium and zinc chloride.** Nayak, R.; Kenney, P. B.; Slider, S.; Head, M. K.; Killefer, J. *J. Food Sci.* 1998, **63**, 951-54.

N.<sup>o</sup> 247.—**Interactions between fat crystal networks and sodium caseinate at the sunflower oil-water interface.** Ogden, L. G.; Rosenthal, A. J. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1841-47.

N.<sup>o</sup> 248.—**Interactions between fat crystal networks and sodium caseinate at the sunflower oil-water interface.** Ogden, L. G.; Rosenthal, A. J. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1841-47.

## TECNOLOGÍA

N.<sup>o</sup> 249.—**Mechanical oil expression from extruded soybean samples.** Bargale, P. C.; Ford, R. J.; Sosulski, F. W.; Wulfsohn, D.; Irudayaraj, J. *J. Amer. Oil Chem. Soc.* 1999, **76**, 223-29.

N.<sup>o</sup> 250.—**Temperature and pressure effects on supercritical carbon dioxide extraction of n-3 fatty acids from red seaweed.** Cheung, P. C. K. *Food Chem.* 1999, **65**, 399-403.

N.<sup>o</sup> 251.—**Spicing fat for combustion.** Dulloo, A. G. *Brit. J. Nutr.* 1998, **80**, 493-94.

N.<sup>o</sup> 252.—**Deodorization of vegetable oils. Part I: Modeling the geometrical isomerization of polyunsaturated fatty acids.** Henon, G.; Kemeny, Z.; Recseg, K.; Zwobada, F.; Kovari, K. *J. Amer. Oil Chem. Soc.* 1999, **76**, 73-81.

N.<sup>o</sup> 253.—**Tofu production from soybeans or full-fat soyflakes using direct and indirect heating processes.** Moizuddin, S.; Harvey, G.; Fenton, A. M.; Wilson, L. A. *J. Food Sci.* 1999, **64**, 145-48.

N.<sup>o</sup> 254.—**Trans fatty acids in Canadian margarines: Recent trends.** Ratnayake, W. M. N.; Pelletier, C.; Hollywood, R.; Bacler, S.; Leyte, D. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1587-94.

N.<sup>o</sup> 255.—**Interaction of packaging materials and vegetable oils: oil stability.** Tawfik, M. S.; Huyghebaert, A. *Food Chem.* 1999, **64**, 451-59.

N.<sup>o</sup> 256.—**Acetone-stable nanofiltration membranes in deacidifying vegetable oil.** Zwijnenberg, H. J.; Krosse, A. M.; Ebert, K.; Peinemann, K. V.; Cuperus, F. P. *J. Amer. Oil Chem. Soc.* 1999, **76**, 83-87.

## TRANSFORMACIONES QUÍMICAS

N.<sup>o</sup> 257.—**The electrochemical hydrogenation of edible oils in a solid polymer electrolyte reactor. II. Hydrogenation selectivity studies.** An, W. D.; Hong, J. K.; Pintauro, P. N.; Warner, K.; Neff, W. J. *J. Amer. Oil Chem. Soc.* 1999, **76**, 215-22.

N.<sup>o</sup> 258.—**A simple method of preparation of methyl trans-10,cis-12- and cis- 9,trans-11-octadecadienoates from methyl linoleate.** Berdeaux, O.; Voinot, L.; Angioni, E.; Juaneda, P.; Sebedio, J. L. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1749-55.

N.<sup>o</sup> 259.—**Acid-catalyzed isomerization of fucosterol and Delta(5)-avenasterol.** KamalEldin, A.; Maatta, K.; Toivo, J.; Lampi, A. M.; Piironen, V. *Lipids* 1998, **33**, 1073-77.

N.<sup>o</sup> 260.—**The influence of chemical interesterification on the physicochemical properties of complex fat systems. 3. Rheology and fractality of the crystal network.** Marangoni, A. G.; Rousseau, D. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1633-36.

N.<sup>o</sup> 261.—**A continuous process for the conversion of vegetable oils into methyl esters of fatty acids.** Noureddini, H.; Harkey, D.; Medikonduru, V. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1775-83.

N.<sup>o</sup> 262.—**The chemistry of metathesized soybean oil.** Refvik, M. D.; Larock, R. C. *J. Amer. Oil Chem. Soc.* 1999, **76**, 99-102.

N.<sup>o</sup> 263.—**The influence of chemical interesterification on the physicochemical properties of complex fat systems. 2. Morphology and polymorphism.** Rousseau, D.; Marangoni, A. G.; Jeffrey, K. R. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1833-39.

N.<sup>o</sup> 264.—**Transesterification of trimethylolpropane and rapeseed oil methyl ester to environmentally acceptable lubricants.** Uosukainen, E.; Linko, Y. Y.; Lamsa, M.; Tervakangas, T.; Linko, P. *J. Amer. Oil Chem. Soc.* 1998, **75**, 1557-63.

N.<sup>o</sup> 265.—**Concentration of omega 3-polyunsaturated fatty acids of seal blubber oil by urea complexation: optimization of reaction conditions.** Wanasyundara, U. N.; Shahidi, F. *Food Chem.* 1999, **65**, 41-49.